

WRANGLER JL (2 DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2018-ON	DELUXE CLASSIC WINCH BUMPER	FACTORY FOG LAMPS ² , RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR SPORT AND RUBICON OE FLARES, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450440 ^{1,2}
2018-ON	CLASSIC STUBBY BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450450
2018-ON	BONDI DELUXE BUMPER	FACTORY FOG LAMPS ² , RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR RUBICON OE FLARES, OFF-ROAD LIGHT MOUNTS INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450460 ^{2,3}
2018-ON	BONDI STUBBY BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450470

¹ OPTIONAL WINCH COVER PAN **3550150** AVAILABLE WHEN NOT FITTING WINCH.
² FACTORY STEEL BUMPER FOG LIGHTS WILL NOT FIT. PLEASE CONTACT ARB FOR MORE INFORMATION
³ FITS JEEP WRANGLER JL RUBICON ONLY.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2018-ON	3.6L V6 AND 2.0 TURBO GAS ENGINE (LEFT HAND DRIVE)	SS1080HF

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ROCK SLIDERS - INTEGRIT BLACK POWDER COAT FINISH	4450250

ARB REAR PROTECTION BUMPERS		
YEAR	TYPE	PART NO.
2018-ON	REAR BUMPER ASSEMBLY, RECOVERY POINTS, JACK POINTS, NO TIRE CARRIER OPTIONS. INTEGRIT BLACK FINISH	5650380 ^{1,2}

¹ OPTIONAL MUDFLAP MOUNT KIT 5750380 AVAILABLE. WILL NOT FIT RUBICON MODELS.
² OPTIONAL LICENSE PLATE RELOCATION KIT 5750390 AVAILABLE.

ARB AIR LOCKER LOCKING DIFFERENTIALS						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2018-ON	FRONT	M186		27 SPLINE	ALL	RD100
		RUBICON FRONT		35 SPLINE	ALL	RD246 ¹
	REAR	M200		29 SPLINE	ALL	RD244
		M220		32 SPLINE	ALL	RD245
		RUBICON REAR		35 SPLINE	ALL	RD246 ¹

¹ AFTERMARKET 35 SPLINE AXLE SHAFTS REQUIRED.

DIFFERENTIAL COVERS		
DIFFERENTIAL	DESCRIPTION	PART NO.
M186	M186 DIFFERENTIAL COVER - FRONT - RED	0750009
M186	M186 DIFFERENTIAL COVER - FRONT - BLACK	0750009B
M200	M200 DIFFERENTIAL COVER - REAR - RED	0750010
M200	M200 DIFFERENTIAL COVER - REAR - BLACK	0750010B
M210	M210 DIFFERENTIAL COVER - FRONT - RED	0750011
M210	M210 DIFFERENTIAL COVER - FRONT - BLACK	0750011B
M220	M220 DIFFERENTIAL COVER - REAR - RED	0750012
M220	M220 DIFFERENTIAL COVER - REAR - BLACK	0750012B

ARB SEAT COVER SKINS		
TYPE	DESCRIPTION	PART NO.
FRONT	WATER RESISTANT, BREATHABLE, AIRBAG TESTED, TAILORED FIT, UV PROTECTED	10550052NDP

ARB AIR COMPRESSOR BRACKET - UNDER SEAT MOUNT

YEAR	DESCRIPTION	PART NO.
2018 ON	UNDER SEAT (DRIVERS OR PASSENGERS) AIR COMPRESSOR BRACKET - THIS BRACKET ALLOWS YOU TO INSTALL A CKMTA12, CKMA12, OR CKSA12 COMPRESSOR WITH OPITONAL AIR LOCKER SOLENOIDS, QUICK CONNECT COUPLING, SWITCH, MANIFOLD KIT AND ARB LINX PRV. AN ADDITIONAL BRACKET IS INCLUDED FOR FITMENT OF THE 1 GALLON ARB AIR TANK TO THE UNDERSIDE OF THE VEHICLE (NON 2.0L ENGINE).	3550220

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON	FRONT	STOCK/LIGHT LOAD (0LBS)	SPRING	1-2"	1	3160 ^{1,2}
		NITROCHARGER SPORT	SHOCK		2	60160
		MEDIUM LOAD (90LBS)	SPRING	1-2"	1	3160 ^{1,2,10}
		NITROCHARGER SPORT	SHOCK		2	60160
		HEAVY LOAD (90-195LBS)	SPRING	1-2"	1	3153 ^{1,2}
		NITROCHARGER SPORT	SHOCK		2	60160
		STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.5-3.5"	1	3133 ^{1,2}
	NITROCHARGER SPORT	SHOCK		2	60150	
	NITROCHARGER SPORT	SHOCK		2	60150	
	NITROCHARGER SPORT	SHOCK		2	60150	
	NITROCHARGER SPORT	SHOCK		2	60150	
	NITROCHARGER SPORT	SHOCK		2	60150	
	NITROCHARGER SPORT	SHOCK		2	60150	
	NITROCHARGER SPORT	SHOCK		2	60150	
2018-ON	REAR	MEDIUM LOAD	SPRING	1-2"	1	3161 ^{1,2}
		NITROCHARGER SPORT	SHOCK		2	60161
		HEAVY CONSTANT (330LBS)	SPRING	1-2"	1	3157 ^{1,2}
		NITROCHARGER SPORT	SHOCK		2	*60163/60161
		MEDIUM LOAD	SPRING	2.5-3.5"	1	3136 ^{1,2}
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
	NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
REQ'D FOR INSTALLATION		FRONT LOWER ADJUSTABLE CONTROL ARM	CONTROL ARM		1	LCAJLFR ²
		FRONT ADJUSTABLE TRACK BAR (2.5-3.5" KIT)	TRACK BAR		1	PANRJL001 ⁶
		REAR ADJUSTABLE TRACK BAR (2.5-3.5" KIT)	TRACK BAR		1	PANRJL002 ⁶
		BUMP STOP KIT (FRONT AND REAR)	BUMP KIT		1	FK92 ³
		SWAY BAR LINK KIT (2.5-3.5" KIT)	LINK KIT		1	FK93 ⁴
OPTIONAL		FRONT UPPER ADJUSTABLE CONTROL ARM	CONTROL ARM		1	UCAJLFR ⁸
		FRONT COIL SPRING TRIM PACKER	PACKER		1	OMEJKPF10 ⁵
		REAR COIL SPRING TRIM PACKER	PACKER		1	OMEJLPR10 ⁵
		FRONT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		2	BP5160033 ^{5,7}
		REAR LEFT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		1	BP5160034L ⁸
		REAR RIGHT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		1	BP5160034R ⁸
		VEHICLE MOUNT KIT BP-51 - FRONT	F/KIT		1	VM80010038 ⁹
		VEHICLE MOUNT KIT BP-51 - REAR	F/KIT		1	VM80010039 ⁸

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, RUBICON MODELS WILL NET 1 INCH LESS LIFT

² FITMENT OF LCAJLFR ADJUSTABLE LOWER CONTROL ARMS ARE REQUIRED TO RESTORE PROPER CASTER ALIGNMENT SETTINGS.

³ FITMENT OF FK92 IS REQUIRED. FK92 BUMPER STOP KIT PREVENTS SHOCKS FROM GOING SOLID AND FITMENT OF LARGER TIRES.

⁴ FITMENT OF FK93 IS REQUIRED. FK93 SWAY BAR LINK KIT ALLOWS THE SHOCKS TO EXTEND FREELY WITHOUT LIMIT OR CONTACT.

⁵ TRIM PACKERS ARE TO LEVEL THE VEHICLE LEFT TO RIGHT. DO NOT INSTALL MORE THAN ONE PACKER PER COIL SPRING.

⁶ AFTERMARKET FRONT & REAR TRACK BAR REQUIRED FOR PROPER ALIGNMENT

⁷ PART NO **VM80010038** REQUIRED WHEN FITTING **BP5160033**

⁸ PART NO **VM80010039** REQUIRED WHEN FITTING **BP5160034L/R**

⁹ FITMENT NOT MANDATORY, HOWEVER, FITMENT WILL ALLOW FOR FINE TUNING GEOMETRY.

¹⁰ OMEJKPF10 REQUIRED TO ACHIEVE LIFT HEIGHT.

*FIRMER SHOCK

WRANGLER JL (2 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON W/3.6L & 2.0L	COMPLETE KITS	LIGHT LOAD (0LBS) WITH SPORT SHOCKS	KIT	1-2"	1	JL2DLK ^{1,3}
		MEDIUM LOAD (90LBS) WITH SPORT SHOCKS	KIT	1-2"	1	JL2DMK ^{1,3}
		HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	1-2"	1	JL2DHK ^{1,3}
		LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL2DLKS ^{1,2}
		HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL2DHKS ^{1,2}
		LIGHT LOAD (0-90LBS) WITH BP-51 BYPASS SHOCKS	KIT	2.5-3.5"	1	OMEJL2DBP51LK ^{1,2}
		HEAVY LOAD (90-195LBS) WITH BP-51 BYPASS SHOCKS	KIT	2.5-3.5"	1	OMEJL2DBP51HK ^{1,2}

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, THE KITS ABOVE WILL NET 3.5" OR 2" FOR NON RUBICON MODELS AND 2.5" OR 1" FOR RUBICON MODELS.

² INCLUDES COIL SPRINGS, SHOCKS, FRONT LOWER CONTROL ARMS, FRONT AND REAR TRACK BARS, BUMP STOP KIT, SWAY BAR LINKS, AND TRIM PACKERS.

³ INCLUDES COIL SPRINGS, SHOCKS, FRONT LOWER CONTROL ARMS, BUMP STOP KIT, SWAY BAR LINKS, AND TRIM PACKERS.

LINX - VEHICLE ACCESSORY INTERFACE

YEAR	DESCRIPTION	PART NO.
2018 ON	LINX VEHICLE ACCESSORY INTERFACE	LX100
	LINX A-PILLAR MOUNT FOR JEEP WRANGLER JL	7450117
OPTIONAL	LINX PRESSURE CONTROL KIT	7450107

LEARN MORE ABOUT ARB LINX - [HTTPS://WWW.ARBUSA.COM/LINX-ACCESSORY-INTERFACE/](https://www.arbusa.com/linx-accessory-interface/)

WRANGLER JL (4-DOOR)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
2018-ON	DELUXE CLASSIC WINCH BUMPER	FACTORY FOG LAMPS ² , RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR SPORT AND RUBICON OE FLARES, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450440 ^{1,2}
2018-ON	CLASSIC STUBBY WINCH BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450450
2018-ON	BONDI DELUXE WINCH BUMPER	FACTORY FOG LAMPS ² , RECOVERY POINTS, RECOVERY JACK POINTS, CLEARANCE FOR 37" TIRES, STYLED FOR RUBICON OE FLARES, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450460 ^{2,3}
2018-ON	BONDI STUBBY WINCH BUMPER	RECOVERY POINTS, RECOVERY JACK POINTS, OFF-ROAD LIGHT MOUNTS, INTEGRIT FINISH	WARN LOW MOUNT WINCHES UP TO 10,000LB	3450470

¹ OPTIONAL WINCH COVER PAN **3550150** AVAILABLE WHEN NOT FITTING WINCH.

² FACTORY STEEL BUMPER FOG LIGHTS WILL NOT FIT. PLEASE CONTACT ARB FOR MORE INFORMATION.

³ FITS JEEP WRANGLER JL RUBICON ONLY.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2018-ON	3.6L V6 AND 2.0 TURBO GAS ENGINE (LEFT HAND DRIVE)	SS1080HF

ARB SIDE RAILS/ROCK SLIDERS/STEPS		
YEAR	DESCRIPTION	PART NO.
2018-ON	ROCK SLIDERS - INTEGRIT BLACK POWDER COAT FINISH	4450240

ARB REAR PROTECTION BUMPERS		
YEAR	TYPE	PART NO.
2018-ON	REAR BUMPER ASSEMBLY, RECOVERY POINTS, JACK POINTS, NO TIRE CARRIER OPTIONS. INTEGRIT BLACK FINISH	5650380 ^{1,2}

¹ OPTIONAL MUFLAP MOUNT KIT **5750380** AVAILABLE. WILL NOT FIT RUBICON MODELS.

² OPTIONAL LICENSE PLATE RELOCATION KIT **5750390** AVAILABLE.

ARB AIR LOCKER LOCKING DIFFERENTIALS						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2018-ON	FRONT	M186		27 SPLINE	ALL	RD100
		RUBICON FRONT		35 SPLINE	ALL	RD246 ¹
	REAR	M200		29 SPLINE	ALL	RD244
		M220		32 SPLINE	ALL	RD245
		RUBICON REAR		35 SPLINE	ALL	RD246 ¹

¹ AFTERMARKET 35 SPLINE AXLE SHAFTS REQUIRED.

DIFFERENTIAL COVERS		
DIFFERENTIAL	DESCRIPTION	PART NO.
M186	M186 DIFFERENTIAL COVER - FRONT - RED	0750009
M186	M186 DIFFERENTIAL COVER - FRONT - BLACK	0750009B
M200	M200 DIFFERENTIAL COVER - REAR - RED	0750010
M200	M200 DIFFERENTIAL COVER - REAR - BLACK	0750010B
M210	M210 DIFFERENTIAL COVER - FRONT - RED	0750011
M210	M210 DIFFERENTIAL COVER - FRONT - BLACK	0750011B
M220	M220 DIFFERENTIAL COVER - REAR - RED	0750012
M220	M220 DIFFERENTIAL COVER - REAR - BLACK	0750012B

ARB SEAT COVER SKINS		
TYPE	DESCRIPTION	PART NO.
FRONT	WATER RESISTANT, BREATHABLE, AIRBAG TESTED, TAILORED FIT, UV PROTECTED	105505NP
REAR	WATER RESISTANT, BREATHABLE, AIRBAG TESTED, TAILORED FIT, UV PROTECTED	105506NP

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
2018-20	CLASSIC ARB FLAT RACK	
	70" X 44" ALLOY FLAT RACK KIT - WITH MESH FLOOR	4913020MKJL
	70" X 44" STEEL FLAT RACK KIT - NO MESH FLOOR	3813030KJL
2018-20	ARB BASE RACK SYSTEM	
	61" X 51" BASE RACK KIT - FLAT RACK WITH DEFLECTOR	BASE261
	61" X 51" BASE RACK KIT - FRONT 1/4 BASKET WITH DEFLECTOR	BASE262
	61" X 51" BASE RACK KIT - FRONT 3/4 BASKET WITH DEFLECTOR	BASE263
	61" X 51" BASE RACK KIT - FULL BASKET WITH DEFLECTOR	BASE264
	61" X 51" BASE RACK KIT - TRADE RAILS WITH DEFLECTOR	BASE265
ARB BASE RACK SYSTEM - ACCESSORIES AND MOUNTS		
	BASE RACK TIE DOWN - EYEBOLT - COMES WITH FOUR TIE DOWNS	1780200
	BASE RACK TIE DOWN - SPRING LOADED - COMES WITH TWO TIE DOWNS	1780210
	BASE RACK T-SLOT ADAPTOR - SOLD AS A SINGLE ADAPTOR	1780220
	BASE RACK T-SLOT ADAPTER - SOLD AS A PAIR	1780230
	BASE RACK AWNING BRACKET - FIXED - SOLD AS A SINGLE BRACKET	1780240
	BASE RACK PROPANE BOTTLE HOLDER - 5 TO 20LB TANK	1780250
	BASE RACK AWNING BRACKET - QUICK RELEASE - SOLD AS A SINGLE BRACKET	1780260
	BASE RACK HI-LIFT JACK MOUNT - PREMIUM MOUNT KIT	1780280
	BASE RACK HI-LIFT JACK MOUNT - STANDARD MOUNT KIT	1780290
	BASE RACK RECOVERY BOARD ADAPTOR - REQUIRES RECOVERY BOARD MOUNT	1780310
	JERRY CAN MOUNT - VERTICAL - SINGLE METAL CAN - DOES NOT INCLUDE JERRY CAN	1780320
	JERRY CAN MOUNT - HORIZONTAL - SINGLE METAL CAN - DOES NOT INCLUDE JERRY CAN	1780330
	JERRY CAN MOUNT - VERTICAL - DOUBLE METAL CAN - DOES NOT INCLUDE JERRY CANS	1780340
	JERRY CAN MOUNT - HORIZONTAL - DOUBLE METAL CAN - DOES NOT INCLUDE JERRY CANS	1780350
	BASE RACK ROLLER KIT - FITS 51" WIDE RACKS	1780365
	BASE RACK RATCHET STRAP - 118" STRAP - SOLD AS A PAIR	1780370
	BASE RACK WHEEL MOUNT STRAP - FITS UP TO 35" TIRE	1780380
ARB SLIMLINE LIGHT BAR - MOUNTS TO ARB BASE RACK		
	ARB SLIMLINE BASE RACK LIGHT BAR KIT - INCLUDES BASE RACK BRACKETS	1780500 ¹
	ARB SLIMLINE LIGHT BAR LENS COVER - CLEAR	1780510
	ARB SLIMLINE LIGHT BAR LENS COVER - BLACK	1780511
	ARB SLIMLINE LIGHT BAR LENS COVER - AMBER	1780512
	ARB SLIMLINE LIGHT BAR HARNESS	3500810 ¹
	ARB SLIMLINE LIGHT BAR HARNESS EXTENSION	3500820 ¹

¹HARNESS PART NUMBER **3500810** REQUIRED FITTING **1780500** SLIMLINE LIGHT BAR. EXTENSION HARNESS **3500820** MAY ALSO BE REQUIRED DEPENDING ON APPLICATION

OUTBACK SOLUTIONS ROLLER DRAWER SYSTEM		
YEAR	DESCRIPTION	PART NO.
2018 ON	ROLLER DRAWER WITH ROLLER TOP - 28.7" WIDE X 25.7" LONG X 8.6" DEEP - INTERNAL DIMENSIONS	RDRF790 ¹
REQUIRED	SIDE FLOOR KIT - WRANGLER JL 4-DOOR WITH FACTORY SUBWOOFER - REQUIRED FOR INSTALL	JL4DFJKSUB ²
	SIDE FLOOR KIT - WRANGLER JL 4-DOOR WITHOUT FACTORY SUBWOOFER - REQUIRED FOR INSTALL	JL4DFKIK ³

¹ SIDE FLOOR KIT REQUIRED FOR INSTALLATION.

² SIDE FLOOR KIT PART NUMBER JL4DFJKSUB REQUIRED FOR FITMENT ON WRANGLER JLs WITH FACTORY SUBWOOFER

³ SIDE FLOOR KIT PART NUMBER JL4DFKIK REQUIRED FOR FITMENT ON WRANGLER JLs WITHOUT FACTORY SUBWOOFER

WRANGLER JL (4-DOOR)

ARB AIR COMPRESSOR BRACKET - UNDER SEAT MOUNT

YEAR	DESCRIPTION	PART NO.
2018 ON	UNDER SEAT (DRIVERS OR PASSENGERS) AIR COMPRESSOR BRACKET - MOUNTS COMPRESSOR, TANK, MANIFOLD	3550220

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
2018-ON	FRONT	STOCK/LIGHT LOAD (0LBS)	SPRING	1-2"	1	3153 ^{1,2}	
		NITROCHARGER SPORT	SHOCK		2	60160	
		MEDIUM LOAD (90LBS)	SPRING	1-2"	1	3153 ^{1,2,10}	
		NITROCHARGER SPORT	SHOCK		2	60160	
		HEAVY LOAD (90-195LBS)	SPRING	1-2"	1	3154 ^{1,2}	
		NITROCHARGER SPORT	SHOCK		2	60160	
		STOCK/LIGHT LOAD (0-90LBS)	SPRING	2.5-3.5"	1	3134 ^{1,2}	
	NITROCHARGER SPORT	SHOCK		2	60150		
	HEAVY LOAD (90-190LBS)	SPRING	2.5-3.5"	1	3135 ^{1,2}		
	NITROCHARGER SPORT	SHOCK		2	60150		
	REAR	MEDIUM LOAD	HEAVY CONSTANT (330LBS)	SPRING	1-2"	1	3157 ^{1,2}
			NITROCHARGER SPORT	SHOCK		2	60161
			HEAVY CONSTANT (330LBS)	SPRING	1-2"	1	3158 ^{1,2}
			NITROCHARGER SPORT	SHOCK		2	*60163/60161
HEAVY CONSTANT (660LBS)			SPRING	1-2"	1	3159 ^{1,2}	
NITROCHARGER SPORT			SHOCK		2	60163	
MEDIUM LOAD			SPRING	2.5-3.5" ¹⁰	1	3137 ^{1,2}	
NITROCHARGER SPORT SHOCK		SHOCK		2	60151		
HEAVY CONSTANT (330LBS)		HEAVY CONSTANT (330LBS)	SPRING	2.5-3.5"	1	3138 ^{1,2}	
		NITROCHARGER SPORT SHOCK	SHOCK		2	60151	
		REQ'D FOR INSTALLATION	FRONT LOWER ADJUSTABLE CONTROL ARM	CONTROL ARM		1	LCAJLFR ²
			FRONT ADJUSTABLE TRACK BAR (2.5-3.5" KIT)	TRACK BAR		1	PANRJL001 ⁶
			REAR ADJUSTABLE TRACK BAR (2.5-3.5" KIT)	TRACK BAR		1	PANRJL002 ⁶
			BUMP STOP KIT (FRONT AND REAR)	BUMP KIT		1	FK92 ³
	SWAY BAR LINK KIT (2.5-3.5" KIT)		LINK KIT		1	FK93 ⁴	
OPTIONAL	FRONT UPPER ADJUSTABLE CONTROL ARM	CONTROL ARM		1	UCAJLFR ⁸		
	FRONT COIL SPRING TRIM PACKER	PACKER		1	OMEJKPF10 ⁵		
	REAR COIL SPRING TRIM PACKER	PACKER		1	OMEJLPR10 ⁵		
	FRONT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		2	BP5160033 ^{5,7}		
	REAR LEFT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		1	BP5160034L ⁸		
	REAR RIGHT WRANGLER JL BP-51 SHOCK 2.5-3.5"	SHOCK		1	BP5160034R ⁸		
	VEHICLE MOUNT KIT BP-51 - FRONT	F/KIT		1	VM80010038 ⁵		
	VEHICLE MOUNT KIT BP-51 - REAR	F/KIT		1	VM80010039 ⁹		

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, RUBICON MODELS WILL NET 1 INCH LESS LIFT

² FITMENT OF LCAJLFR ADJUSTABLE LOWER CONTROL ARMS ARE REQUIRED TO RESTORE PROPER CASTER ALIGNMENT SETTINGS.

³ FITMENT OF FK92 IS REQUIRED. FK92 BUMPER STOP KIT PREVENTS SHOCKS FROM GOING SOLID AND FITMENT OF LARGER TIRES.

⁴ FITMENT OF FK93 IS REQUIRED. FK93 SWAY BAR LINK KIT ALLOWS THE SHOCKS TO EXTEND FREELY WITHOUT LIMIT OR CONTACT.

⁵ TRIM PACKERS ARE TO LEVEL THE VEHICLE LEFT TO RIGHT. DO NOT INSTALL MORE THAN ONE PACKER PER COIL SPRING.

⁶ AFTERMARKET FRONT & REAR TRACK BAR REQUIRED FOR PROPER ALIGNMENT

⁷ PART NO **VM80010038** REQUIRED WHEN FITTING **BP5160033**

⁸ PART NO **VM80010039** REQUIRED WHEN FITTING **BP5160034L/R**

⁹ FITMENT NOT MANDATORY, HOWEVER, FITMENT WILL ALLOW FOR FINE TUNING GEOMETRY.

¹⁰ **OMEJKPF10** REQUIRED TO ACHIEVE LIFT HEIGHT.

*FIRMER SHOCK



WRANGLER JL (4 DOOR)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2018-ON W/3.6L & 2.0L	COMPLETE KITS	LIGHT LOAD (0LBS) WITH SPORT SHOCKS	KIT	1-2"	1	JL4DLK ^{1,3}
		MEDIUM LOAD (90LBS) WITH SPORT SHOCKS	KIT	1-2"	1	JL4DMK ^{1,3}
		HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	1-2"	1	JL4DHK ^{1,3}
		LIGHT LOAD (0-90LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL4DLKS ^{1,2}
		HEAVY LOAD (90-195LBS) WITH SPORT SHOCKS	KIT	2.5-3.5"	1	OMEJL4DHKS ^{1,2}
		LIGHT LOAD (0-90LBS) WITH BP-51 BYPASS SHOCKS	KIT	2.5-3.5"	1	OMEJL4DBP51LK ^{1,2}
		HEAVY LOAD (90-195LBS) WITH BP-51 BYPASS SHOCKS	KIT	2.5-3.5"	1	OMEJL4DBP51HK ^{1,2}

¹ DUE TO DIFFERENCES IN OE RIDE HEIGHT, THE KITS ABOVE WILL NET 3.5" OR 2" FOR NON RUBICON MODELS AND 2.5" OR 1" FOR RUBICON MODELS.

² INCLUDES COIL SPRINGS, SHOCKS, FRONT LOWER CONTROL ARMS, FRONT AND REAR TRACK BARS, BUMP STOP KIT, SWAY BAR LINKS, AND TRIM PACKERS.

³ INCLUDES COIL SPRINGS, SHOCKS, FRONT LOWER CONTROL ARMS, BUMP STOP KIT, SWAY BAR LINKS, AND TRIM PACKERS.