

WRANGLER JK (2 DOOR)

| ARB DELUXE BULL BARS & WINCH BARS | | | | |
|-----------------------------------|------------------|---|---|--------------------------|
| YEAR | MODEL | FEATURES | WINCHES | PART NO. |
| 2007-18 | DELUXE WINCH BAR | AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3450230 ^{1,2,4} |
| 2007-18 | STUBBY BAR | CLEARANCE FOR LARGER TIRES, HI-LIFT JACK POINTS, AUX LIGHT MOUNTS | FITS MOST LOW MOUNT MODELS, NOT POWERPLANT | 3450430 ⁴ |
| 2007-18 | WINCH BUMPER | AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3950200 ^{4,5,7} |
| 2007-18 | WINCH BUMPER | AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3950210 ^{3,5,8} |
| 2007-18 | ROCK BAR | HI-LIFT JACK POINTS, AUX LIGHT MOUNTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3450250 ^{4,6} |

¹ IF NOT FITTING FACTORY FOG LAMPS, ORDER PART # 3550030 (FOG LIGHT INSERT COVER) TO COMPLETE INSTALLATION

² IF NOT FITTING WINCH, ORDER PART # 3550150 (TOP PAN COVER) TO COMPLETE INSTALLATION

³ SATIN BLACK POWDER COAT FINISH

⁴ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁵ FULL WIDTH, NO PROTECTION HOOP ON TOP OF BUMPER, JUST BUMPER

⁶ NARROWER THAN FULL WIDTH ARB DELUXE WINCH BAR, WIDER THAN ARB STUBBY BAR.

⁷ IF NOT FITTING WINCH, ORDER PART # 3550120 (TOP PAN COVER) TO COMPLETE INSTALLATION

⁸ IF NOT FITTING WINCH, ORDER PART # 3550170 (TOP PAN COVER) TO COMPLETE INSTALLATION

| SAFARI SNORKEL | | |
|----------------|--------------------------------------|----------|
| YEAR | RECOMMENDED SNORKEL | PART NO. |
| 2007-11 | 3.8L V6 GAS ENGINE (LEFT HAND DRIVE) | SS1066HF |
| 2012-18 | 3.6L PENTASTAR V6 (LEFT HAND DRIVE) | SS1070HF |

| ARB SIDE RAILS/ROCK SLIDERS/STEPS | | |
|-----------------------------------|---|----------|
| YEAR | DESCRIPTION | PART NO. |
| 2007-18 | ROCK SLIDERS - SATIN BLACK POWDER COAT FINISH | 4450200 |
| 2007-18 | ROCK SLIDERS - INTEGRIT TEXTURED BLACK POWDER COAT FINISH | 4450220 |

| ARB REAR PROTECTION BUMPERS | | |
|-----------------------------|--|----------------------------|
| YEAR | TYPE | PART NO. |
| 2007-18 | REAR BUMPER ASSEMBLY, RECOVERY POINTS, NO OPTIONAL SPARE TIRE CARRIER, BLACK | 5650200 ^{1,2,3,6} |
| | REAR BUMPER ASSEMBLY, OPTIONAL TIRE CARRIER ⁴ , RECOVERY POINTS, TEXTURED BLACK | 5650360 ^{3,4,7} |
| | OPTIONAL SPARE TIRE CARRIER | 5750320 ^{4,5,7,8} |
| | OPTIONAL IPF REVERSE LIGHT | 8161 |

¹ NON SWING OUT, TIRE MOUNTS IN FACTORY POSITION

² ACCOMMODATES UP TO A 35" TIRE

³ UTILIZES FACTORY TOW PACKAGE

⁴ OPTIONAL SPARE TIRE CARRIER PART NO **5750320** WILL ONLY WORK IN COMBINATION WITH BUMPER PART NUMBER **5650360**

⁵ WILL WORK WITH UP TO A 37" TIRE. MODIFICATION TO 3RD BRAKE LIGHT MAY BE REQUIRED TO FIT 37" SPARE TIRE.

⁶ SATIN BLACK POWDER COAT FINISH

⁷ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁸ TIRE CARRIER NOT COMPATIBLE WITH BODY LIFTS

| OUTBACK SOLUTIONS ROLLER DRAWER SYSTEM | | |
|--|--|------------------------|
| YEAR | DESCRIPTION | PART NO. |
| 2007-10 | ROLLER DRAWER KIT (X2 RD945 ROLLER DRAWERS, SIDE FLOOR KIT & INSTALL KIT) | 5031010 ^{1,2} |
| 2007-10 | ROLLER DRAWER AND ROLLER DRAWER W/ROLLER FLOOR KIT (RD945, RDRF945, SIDE FLOOR AND INSTALLATION KIT) | 5032020 ^{1,2} |
| 2007-10 | ROLLER DRAWER WITH ROLLER FLOOR KIT (X2 RDRF945, SIDE FLOOR KIT & INSTALLATION KIT) | 5033030 ^{1,2} |

¹ SUB WOOFER RELOCATION KIT (**JKBRKT1**) REQUIRED WHEN 2007-09 VEHICLES ARE EQUIPPED WITH FACTORY SUB WOOFERS. INCLUDES BRACKET ONLY, HARNESS EXTENSION MAY BE REQUIRED (NOT OFFERED BY ARB).

² ROLLER DRAWER KIT WILL NOT WORK ON 2010 MODELS WITH FACTORY INSTALLED SUB WOOFERS.

ARB SKID PLATES

| YEAR | DESCRIPTION | PART NO. |
|---------|---|------------------------|
| 2007-11 | UNDER VEHICLE SKID PLATE SYSTEM - 3.8 LITER PETROL ONLY | 5450100 ^{1,2} |
| 2012-18 | UNDER VEHICLE SKID PLATE SYSTEM - 3.6 LITER PETROL ONLY | 5450110 ^{1,2} |

¹WILL NOT WORK WITH FRONT DANA 44 OR DANA 60 HOUSINGS WITHOUT SUSPENSION MODIFICATIONS

²WILL NOT WORK WITH STOCK HEIGHT VEHICLES

ARB AIR LOCKER TRACTION PACKS

| YEAR | FRONT AXLE | REAR AXLE | DESCRIPTION | PART NO. |
|---------|------------|-----------|---|--------------------------|
| 2007-18 | DANA 30 | DANA 44 | KIT CONTAINS RD100, RD117, CKMA12, 171302, ARB605, 217519, 217522 | 100/117KIT1 |
| 2007-18 | DANA 44 | DANA 44 | KIT CONTAINS RD117 (X2), CKMA12, 171302, ARB605, 217519, 217522 | 117/117KIT2 ¹ |
| 2007-18 | DANA 44 | DANA 60 | KIT CONTAINS RD117, RD167, CKMA12, 171302, ARB605, 217519, 217522 | 117/167KIT3 |

| YEAR | AXLE | DESCRIPTION | SHAFT | SPLINE | RATIO | PART NO. |
|---------|-------|------------------------|--------------|--------|--------------------|------------------------|
| 2007-18 | FRONT | DANA 30 | 29.5 (1.16") | 27 | 3.73 & UP | RD100 |
| | | | | 27 | 3.54 & DN | RD101 |
| | | DANA 44 - RUBICON ONLY | 38.1 (1.50") | 35 | ALL ^{4,5} | RD157 ^{2,3,4} |
| 2007-18 | REAR | DANA 44 | 33.3 (1.31") | 30 | ALL ⁵ | RD117 ¹ |
| | | | 38.1 (1.50") | 35 | ALL ⁵ | RD147 ^{1,2} |
| | | DANA 44 - RUBICON ONLY | 38.1 (1.50") | 35 | ALL ^{4,5} | RD157 ^{2,3,4} |

¹ WILL NOT FIT RUBICON MODELS

² AFTERMARKET AXLE SHAFTS REQUIRED, NOT SUPPLIED BY ARB

³ WILL WORK WITH JK RUBICON DANA 44 HOUSING

⁴ WILL WORK WITH JK RUBICON DANA 44 GEARS ONLY

⁵ ALL JEEP JK DANA 44 RING GEARS ARE THICK AND REQUIRE A 3.73 & DOWN CARRIER. THE RD117, RD147 & RD157 ARE ALL 3.73 & DOWN CARRIERS AND ARE SUITABLE FOR THE JK DANA 44 HOUSING AND RING & PINION GEAR SETS.

ARB AIR LOCKER DIFFERENTIAL COVERS

| DIFFERENTIAL | DESCRIPTION | PART NO. |
|--------------|--|-------------------------|
| DANA 30 | DANA 30 ARB DIFFERENTIAL COVER - RED | 0750002 ^{1,2} |
| DANA 30 | DANA 30 ARB DIFFERENTIAL COVER - BLACK | 0750002B ^{1,2} |
| DANA 44 | DANA 44 ARB DIFFERENTIAL COVER - RED | 0750003 ^{1,2} |
| DANA 44 | DANA 44 ARB DIFFERENTIAL COVER - BLACK | 0750003B ^{1,2} |

¹ INTERNAL DIFF COVER MODIFICATIONS MAY BE NECESSARY WITH SOME R&P RATIOS IF CONTACT WITH COVER OCCURS

² STEERING LINKAGE CONTACT WILL OCCUR WITH FACTORY HEIGHT SUSPENSION UNDER FULL DROOP. 2"+ SUSPENSION LIFT REQUIRED.

OLD MAN EMU SUSPENSION SYSTEMS

| MODEL | LOCATION | DESCRIPTION | TYPE | LIFT | QUANTITY | PART NO. |
|---------|---------------|--|------|--------|----------|---------------------------------|
| 2007-18 | COMPLETE KITS | GAS - LIGHT - HEAVY LOAD WITH BP-51 BYPASS SHOCKS AND CONTROL ARMS | KIT | 4" | 1 | OMEJK4BP51P ^{6,8,9,15} |
| | | GAS - LIGHT LOAD/HEAVY LOAD WITH OME BP-51 INTERNAL BYPASS SHOCKS | KIT | 4" | 1 | OMEJK4BP51 ^{6,8,9,15} |
| | | GAS - LIGHT LOAD/HEAVY LOAD WITH OME CONTROL ARMS | KIT | 4" | 1 | OMEJK4P ^{5,9,15} |
| | | GAS - LIGHT LOAD/HEAVY LOAD | KIT | 4" | 1 | OMEJK4 ^{5,9,15} |
| | | GAS - STOCK/LIGHT LOAD (0-90LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS | KIT | 2-2.5" | 1 | OMEJK2DBP51LK ^{6,11} |
| | | GAS - HEAVY LOAD (90-180LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS | KIT | 2-2.5" | 1 | OMEJK2DBP51HK ^{6,11} |
| | | GAS - STOCK/LIGHT LOAD (0-90LBS) | KIT | 2-2.5" | 1 | OMEJK2DLKS ^{5,11} |
| | | GAS - HEAVY LOAD (90-180LBS) | KIT | 2-2.5" | 1 | OMEJK2DHKS ^{5,11} |

-OME SUSPENSION CONTINUED NEXT PAGE-

WRANGLER JK (2 DOOR)

| OLD MAN EMU SUSPENSION SYSTEMS | | | | | | |
|--------------------------------|--|------------------------------------|--------|-------|----------|------------------------------|
| MODEL | LOCATION | DESCRIPTION | TYPE | LIFT | QUANTITY | PART NO. |
| 2007-18 | FRONT | GAS - STOCK/LIGHT LOAD (0-90LBS) | SPRING | 2" | 1 | 2615 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60066 |
| 2007-18 | FRONT | GAS - HEAVY LOAD (90-180LBS) | SPRING | 2" | 1 | 2616 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60066 |
| 2007-18 | REAR | GAS - MEDIUM LOAD | SPRING | 2.25" | 1 | 2617 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60067 |
| 2007-18 | REAR | GAS - HEAVY CONSTANT LOAD (300LBS) | SPRING | 2.25" | 1 | 2618 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60067 |
| OPTIONAL SHOCK ASBORBERS | DESCRIPTION | | | | QUANTITY | PART NO. |
| | OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT OMEJK4 KIT | | | | 2 | BP5160021 ^{12,13} |
| | OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT 3-4" LIFTS | | | | 2 | BP5160022 ¹³ |
| | OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUIT 3-4" LIFTS | | | | 2 | BP5160030 ¹⁴ |
| | OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT 2" LIFTS | | | | 2 | BP5160031 ¹³ |
| | OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUITE 2" LIFTS | | | | 2 | BP5160032 ¹⁶ |
| | VEHICLE MOUNT KIT -FRONT- REQUIRED - BP-51 SHOCK FITMENT | | | | 1 | VM80010014 ¹³ |
| | VEHICLE MOUNT KIT -REAR- REQUIRED - BP-51 SHOCK FITMENT | | | | 1 | VM80010015 ¹⁴ |
| | VEHICLE MOUNT KIT - REAR - REQUIRED - BP-51 SHOCK FITMENT | | | | 1 | VM80010024 ¹⁶ |
| | NITROCHARGER SPORT FRONT EXTENDED LENGTH SHOCK | | | | 2 | 60066L ³ |
| | NITROCHARGER SPORT REAR EXTENDED LENGTH SHOCK | | | | 2 | 60067L ³ |
| OPTIONAL COMPONENTS | STEERING DAMPER | | | | 1 | OMESD48 ⁷ |
| | FRONT LOWER CONTROL ARMS - PAIR | | | | 1 | LCAJKFR |
| | FRONT UPPER CONTROL ARMS - PAIR | | | | 1 | UCAJKFR |
| | REAR LOWER CONTROL ARMS - PAIR | | | | 1 | LCAJKRR |
| | REAR UPPER CONTROL ARMS - PAIR | | | | 1 | UCAJKRR |
| | STEERING DAMPER RELOCATION BRACKET | | | | 1 | FK50 ⁷ |
| | PANHARD ROD EXTENSION BRACKET KIT LHD | | | | 1 | FK37 ² |
| | PANHARD ROD EXTENSION BRACKET KIT RHD | | | | 1 | FK39 ² |
| | FRONT TRIM SPACER 10MM | | | | 1 | OMEJKPF10 ¹ |
| | REAR TRIM SPACER 10MM | | | | 1 | OMEJKPR10 ¹ |
| | BUMP STOP EXTENSIONS | | | | 1 | FK40 ⁴ |
| | REPLACEMENT FRT DRIVE SHAFT & T-CASE YOKE - MANUAL TRANS | | | | 1 | 3112JK-24FM ^{10,15} |

¹ Do Not Fit More Than One Trim Spacer Per Coil Spring

² FITMENT OF PANHARD ROD EXTENSION BRACKET IS NOT MANDATORY, BUT FITMENT WILL IMPROVE THE RIDE

³ EXTENDED LENGTH SHOCKS ARE FOR 3-5" SUSPENSION LIFTS ONLY AND ARE NOT INTENDED FOR USES WITH ANY OLD MAN EMU SYSTEMS. MODIFIED BUMP STOPS ARE REQUIRED.

⁴ REQUIRED IF FITTING 35" TIRES

⁵ KIT CONTAINS NITROCHARGER SPORT SHOCKS

⁶ KIT CONTAINS BP-51 INTERNAL BYPASS SHOCKS

⁷ FITMENT OF OMESD48 STEERING DAMPER REQUIRES RELOCATION BRACKET PART NUMBER FK50

⁸ DUE TO VARIATIONS IN VEHICLE WEIGHTS (AFTERMARKET ACCESSORIES), TRIM PACKERS ARE INCLUDED TO ADJUST THE RIDE HEIGHT.

⁹ WHEN FITTING LARGER TIRES, AFTERMARKET WHEELS (RIMS) WITH GREATER OFFSET (LESS BACKSPACING) MAY BE REQUIRED TO CLEAR SWAYBAR LINKS AND CONTROL ARMS.

¹⁰ OPTIONAL J.E. REEL FRONT REPLACEMENT DRIVE SHAFT & T-CASE YOKE. RATED FOR 0-6" OF LIFT. FITS 2-DOOR AND 4-DOOR MODELS.

REQUIRED FOR 2012+ MODELS WHEN FITTING OMEJK4 IF NOT MODIFYING EXHAUST. OPTIONAL WHEN FITTING OMEJK4 TO 2007-11 MODELS

¹¹ KIT DOES NOT INCLUDE OPTIONAL OMESD48 STEERING DAMPER OR DAMPER FIT KIT FK50

¹² OME BP-51 SHOCK PART NO. **BP5160021** IS SPECIFICALLY DESIGNED FOR THE **OMEJK4** SUSPENSION SYSTEM

¹³ VEHICLE MOUNT PART NO. **VM80010014** REQUIRED WHEN FITTING BP-51 **BP5160022**, **BP5160021** AND **BP5160031** SHOCKS.

¹⁴ VEHICLE MOUNT PART NO. **VM80010015** REQUIRED FOR FITMENT WHEN FITTING BP-51 **BP5160030** SHOCKS.

¹⁵ EXHAUST MODIFICATIONS OR AFTERMARKET FRONT DRIVESHAFT REQUIRED WHEN FITTING OMEJK4 TO 2012+ JEEP WRANGLER JKs

¹⁶ VEHICLE MOUNT PART NO. **VM80010024** REQUIRED FOR FITMENT WHEN FITTING BP-51 **BP5160032** SHOCKS.

WRANGLER JK UNLIMITED (4 DOOR)

ARB DELUXE BULL BARS & WINCH BARS

| YEAR | MODEL | FEATURES | WINCHES | PART NO. |
|---------|------------------|---|---|--------------------------|
| 2007-18 | DELUXE WINCH BAR | AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3450230 ^{1,2,4} |
| 2007-18 | STUBBY BAR | CLEARANCED FOR LARGER TIRES, HI-LIFT JACK POINTS, AUX LIGHT MOUNTS | FITS MOST LOW MOUNT MODELS, NOT POWERPLANT | 3450430 ⁴ |
| 2007-18 | WINCH BUMPER | AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3950200 ^{4,5,7} |
| 2007-18 | WINCH BUMPER | AIR BAG APPROVED, RETAINS THE FACTORY FOG LAMPS, RECOVERY POINTS, HI-LIFT JACK POINTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3950210 ^{3,5,8} |
| 2007-18 | ROCK BAR | HI-LIFT JACK POINTS, AUX LIGHT MOUNTS | WARN 6-9500LBS, 9.5TI, ZEON 8, 8S, 10, 10S, & 12 MODELS | 3450250 ^{4,6} |

¹ IF NOT FITTING FACTORY FOG LAMPS, ORDER PART # 3550030 (FOG LIGHT INSERT COVER) TO COMPLETE INSTALLATION

² IF NOT FITTING WINCH, ORDER PART # 3550150 (TOP PAN COVER) TO COMPLETE INSTALLATION

³ SATIN BLACK POWDER COAT FINISH

⁴ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁵ FULL WIDTH, NO PROTECTION HOOP ON TOP OF BUMPER, JUST BUMPER

⁶ NARROWER THAN FULL WIDTH ARB DELUXE WINCH BAR, WIDER THAN ARB STUBBY BAR

⁷ IF NOT FITTING WINCH, ORDER PART # 3550120 (TOP PAN COVER) TO COMPLETE INSTALLATION

⁸ IF NOT FITTING WINCH, ORDER PART # 3550170 (TOP PAN COVER) TO COMPLETE INSTALLATION

ARB SIDE RAILS/ROCK SLIDERS/STEPS

| YEAR | DESCRIPTION | PART NO. |
|---------|---|----------|
| 2007-18 | ROCK SLIDERS - SATIN BLACK POWDER COAT FINISH | 4450210 |
| 2007-18 | ROCK SLIDERS - INTEGRIT TEXTURED BLACK POWDER COAT FINISH | 4450230 |

ARB REAR PROTECTION BUMPERS

| YEAR | TYPE | PART NO. |
|---------|--|--------------------------|
| 2007-18 | REAR BUMPER ASSEMBLY, RECOVERY POINTS, NO OPTIONAL SPARE TIRE CARRIER, BLACK | 5650200 ^{1,2,3} |
| | REAR BUMPER ASSEMBLY, OPTIONAL TIRE CARRIER ⁴ , RECOVERY POINTS, TEXTURED BLACK | 5650360 ^{3,4} |
| | OPTIONAL SPARE TIRE CARRIER - TEXTURED BLACK | 5750320 ^{4,5,6} |

¹ NON SWING OUT, TIRE MOUNTS IN FACTORY POSITION

² ACCOMMODATES UP TO A 35" TIRE

³ UTILIZES FACTORY TOW PACKAGE

⁴ OPTIONAL SPARE TIRE CARRIER PART NO **5750320** WILL ONLY WORK IN COMBINATION WITH BUMPER PART NUMBER **5650360**

⁵ WILL WORK WITH UP TO A 37" TIRE. MODIFICATION TO 3RD BRAKE LIGHT MAY BE REQUIRED TO FIT 37" SPARE TIRE.

⁶ WILL NOT WORK WITH BODY LIFTS

⁷ INTEGRIT TEXTURED BLACK POWDER COAT FINISH

⁸ TIRE CARRIER NOT COMPATIBLE WITH BODY LIFTS

COMPRESSOR BRACKET

| YEAR/MODEL | DESCRIPTION | PART NO. |
|-----------------|--|----------|
| 2007-18 4- DOOR | ARB AIR COMPRESSOR UNDER SEAT BRACKET - ALL ARB COMPRESSORS - PASSENGER SEAT | 3550210 |

OLD MAN EMU SUSPENSION SYSTEMS

| MODEL | LOCATION | DESCRIPTION | TYPE | LIFT | QUANTITY | PART NO. |
|---------|---------------|--|------|--------|----------|----------------------------------|
| 2007-18 | COMPLETE KITS | GAS - LIGHT - HEAVY LOAD WITH BP-51 BYPASS SHOCKS AND CONTROL ARMS | KIT | 4" | 1 | OMEJK4BP51P ^{8,9,15,16} |
| | | GAS - LIGHT LOAD/HEAVY LOAD WITH OME BP-51 INTERNAL BYPASS SHOCKS | KIT | 4" | 1 | OMEJK4BP51 ^{8,9,15,16} |
| | | GAS - LIGHT LOAD/HEAVY LOAD WITH OME CONTROL ARMS | KIT | 4" | 1 | OMEJK4P ^{6,8,9,15} |
| | | GAS - LIGHT LOAD/HEAVY LOAD | KIT | 4" | 1 | OMEJK4 ^{6,8,9,15} |
| | | GAS - STOCK/LIGHT LOAD (0-90LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS | KIT | 2-2.5" | 1 | OMEJK4DBP51LK ^{11,16} |
| | | GAS - HEAVY LOAD (90-180LBS) WITH OME BP-51 INTERNAL BYPASS SHOCKS | KIT | 2-2.5" | 1 | OMEJK4DBP51HK ^{11,16} |
| | | GAS - STOCK/LIGHT LOAD (0-90LBS) | KIT | 2-2.5" | 1 | OMEJK4DLKS ^{5,11} |
| | | GAS - HEAVY LOAD (90-180LBS) | KIT | 2-2.5" | 1 | OMEJK4DHKS ^{6,11} |



WRANGLER JK UNLIMITED (4 DOOR)

| OLD MAN EMU SUSPENSION SYSTEMS | | | | | | |
|--------------------------------|----------|--|--------|-------|----------|------------------------------|
| MODEL | LOCATION | DESCRIPTION | TYPE | LIFT | QUANTITY | PART NO. |
| 2007-18 | FRONT | GAS - STOCK/LIGHT LOAD (0-90LBS) | SPRING | 2" | 1 | 2616 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60066 |
| 2007-18 | FRONT | GAS - HEAVY LOAD (90-180LBS) | SPRING | 2" | 1 | 2619 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60066 |
| 2007-18 | REAR | GAS - NO LOAD | SPRING | 2.25" | 1 | 2617 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60067 |
| 2007-18 | REAR | GAS - HEAVY CONSTANT LOAD (300LBS) | SPRING | 2.25" | 1 | 2618 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60067 |
| 2007-18 | REAR | GAS - HEAVY CONSTANT LOAD (660LBS) | SPRING | 2.25" | 1 | 2620 |
| | | NITROCHARGER SPORT | SHOCK | | 2 | 60067 |
| OPTIONAL SHOCK ASBORBERS | | DESCRIPTION | | | QUANTITY | PART NO. |
| | | OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT OMEJK4 KIT | | | 2 | BP5160021 ^{12,13} |
| | | OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUIT 3-4" LIFTS | | | 2 | BP5160022 ¹³ |
| | | OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUIT 3-4" LIFTS | | | 2 | BP5160030 ¹⁴ |
| | | OME BP-51 INTERNAL BYPASS SHOCK FRONT - TO SUITE 2" LIFTS | | | 2 | BP5160031 ¹³ |
| | | OME BP-51 INTERNAL BYPASS SHOCK REAR - TO SUITE 2" LIFTS | | | 2 | BP5160032 ¹⁷ |
| | | VEHICLE MOUNT KIT -FRONT- REQUIRED FOR BP-51 SHOCK FITMENT | | | 1 | VM80010014 ¹³ |
| | | VEHICLE MOUNT KIT -REAR- REQUIRED FOR BP-51 SHOCK FITMENT | | | 1 | VM80010015 ¹⁴ |
| | | VEHICLE MOUNT KIT -REAR- REQUIRED FOR BP-51 SHOCK FITMENT | | | 1 | VM80010024 ¹⁷ |
| | | NITROCHARGER SPORT FRONT EXTENDED LENGTH SHOCK | | | 2 | 60066L ³ |
| | | NITROCHARGER SPORT REAR EXTENDED LENGTH SHOCK | | | 2 | 60067L ³ |
| OPTIONAL COMPONENTS | | STEERING DAMPER | | | 1 | OMESD48 ⁷ |
| | | FRONT LOWER CONTROL ARM - PAIR | | | 1 | LCAJKFR |
| | | FRONT UPPER CONTROL ARM - PAIR | | | 1 | UCAJKFR |
| | | REAR LOWER CONTROL ARM - PAIR | | | 1 | LCAJKRR |
| | | REAR UPPER CONTROL ARM - PAIR | | | 1 | UCAJKRR |
| | | STEERING DAMPER RELOCATION BRACKET | | | 1 | FK50 ⁷ |
| | | PANHARD ROD EXTENSION BRACKET KIT LHD | | | 1 | FK37 ² |
| | | PANHARD ROD EXTENSION BRACKET KIT RHD | | | 1 | FK39 ² |
| | | FRONT TRIM SPACER 10MM | | | 1 | OMEJKPF10 ¹ |
| | | REAR TRIM SPACER 10MM | | | 1 | OMEJKPR10 ¹ |
| | | BUMP STOP EXTENSIONS | | | 1 | FK40 ⁴ |
| | | REPLACEMENT FRT DRIVE SHAFT & T-CASE YOKE - MANUAL TRANS | | | 1 | 3112JK-24FM ^{10,15} |

¹ DO NOT FIT MORE THAN ONE TRIM SPACER PER COIL SPRING

² FITMENT OF PANHARD ROD EXTENSION BRACKET IS NOT MANDATORY, BUT FITMENT WILL IMPROVE THE RIDE

³ EXTENDED LENGTH SHOCKS ARE FOR 3-5" SUSPENSION LIFTS ONLY AND ARE NOT INTENDED FOR USE WITH ANY OLD MAN EMU SYSTEMS. EXTENDED BUMP STOPS ARE REQUIRED.

⁴ REQUIRED IF FITTING 35" TIRES

⁶ KIT CONTAINS OLD MAN EMU NITROCHARGER SPORT SHOCKS

⁷ FITMENT OF OMESD48 STEERING DAMPER REQUIRES RELOCATION BRACKET PART NUMBER FK50

⁸ DUE TO VARIATIONS IN VEHICLE WEIGHTS (AFTERMARKET ACCESSORIES), TRIM PACKERS ARE INCLUDED TO ADJUST THE RIDE HEIGHT

⁹ WHEN FITTING LARGER TIRES, AFTERMARKET WHEELS (RIMS) WITH GREATER OFFSET (LESS BACKSPACING) MAY BE REQUIRED TO CLEAR SWAYBAR LINKS AND CONTROL ARMS.

¹⁰ OPTIONAL J.E. REEL FRONT REPLACEMENT DRIVE SHAFT & T-CASE YOKE. RATED FOR 0-6" OF LIFT. FITS 2-DOOR AND 4-DOOR MODELS.

REQUIRED FOR 2012+ MODELS WHEN FITTING OMEJK4 IF NOT MODIFYING EXHAUST. OPTIONAL WHEN FITTING OMEJK4 TO 2007-11 MODELS

¹¹ KIT DOES NOT INCLUDE OPTIONAL OMESD48 STEERING DAMPER OR DAMPER FIT KIT FK50

¹² OME BP-51 SHOCK PART NO. **BP5160021** IS SPECIFICALLY DESIGNED FOR THE **OMEJK4** SUSPENSION SYSTEM

¹³ VEHICLE MOUNT PART NO. **VM80010014** REQUIRED WHEN FITTING BP-51 **BP5160022**, **BP5160021** AND **BP5160031** SHOCKS

¹⁴ VEHICLE MOUNT PART NO. **VM80010015** REQUIRED WHEN FITTING BP-51 **BP5160030** SHOCKS

¹⁵ EXHAUST MODIFICATIONS OR AFTERMARKET FRONT DRIVESHAFT REQUIRED WHEN FITTING OMEJK4 TO 2012+ JEEP WRANGLER JKs

¹⁶ KIT CONTAINS OME BP-51 INTERNAL BYPASS SHOCKS

¹⁷ VEHICLE MOUNT PART NO. **VM80010024** REQUIRED FOR FITMENT WHEN FITTING BP-51 **BP5160032** SHOCKS

WRANGLER JK UNLIMITED (4 DOOR)

ARB SKID PLATES

| YEAR | DESCRIPTION | PART NO. |
|---------|---|------------------------|
| 2007-11 | UNDER VEHICLE SKID PLATE SYSTEM - 3.8 LITER PETROL ONLY | 5450100 ^{1,2} |
| 2012-18 | UNDER VEHICLE SKID PLATE SYSTEM - 3.6 LITER PETROL ONLY | 5450110 ^{1,2} |

¹WILL NOT WORK WITH FRONT DANA 44 OR DANA 60 HOUSINGS WITHOUT SUSPENSION MODIFICATIONS

²WILL NOT WORK WITH STOCK HEIGHT VEHICLES

ARB AIR LOCKER TRACTION PACKS

| YEAR | FRONT AXLE | REAR AXLE | DESCRIPTION | PART NO. |
|---------|------------|-----------|---|--------------------------|
| 2007-18 | DANA 30 | DANA 44 | KIT CONTAINS RD100, RD117, CKMA12, 171302, ARB605, 217519, 217522 | 100/117KIT1 |
| 2007-18 | DANA 44 | DANA 44 | KIT CONTAINS RD117 (X2), CKMA12, 171302, ARB605, 217519, 217522 | 117/117KIT2 ¹ |
| 2007-18 | DANA 44 | DANA 60 | KIT CONTAINS RD117, RD167, CKMA12, 171302, ARB605, 217519, 217522 | 117/167KIT3 |

| YEAR | AXLE | DESCRIPTION | SHAFT | SPLINE | RATIO | PART NO. |
|---------|-------|------------------------|--------------|--------|--------------------|------------------------|
| 2007-18 | FRONT | DANA 30 | 29.5 (1.16") | 27 | 3.73 & UP | RD100 |
| | | | | 27 | 3.54 & DN | RD101 |
| | | DANA 44 - RUBICON ONLY | 38.1 (1.50") | 35 | ALL ^{4,5} | RD157 ^{2,3,4} |
| 2007-18 | REAR | DANA 44 | 33.3 (1.31") | 30 | ALL ⁵ | RD117 ¹ |
| | | | 38.1 (1.50") | 35 | ALL ⁵ | RD147 ^{1,2} |
| | | DANA 44 - RUBICON ONLY | 38.1 (1.50") | 35 | ALL ^{4,5} | RD157 ^{2,3,4} |

¹ WILL NOT FIT RUBICON MODELS

² AFTERMARKET AXLE SHAFTS REQUIRED, NOT SUPPLIED BY ARB

³ WILL WORK WITH JK RUBICON DANA 44 HOUSING

⁴ WILL WORK WITH JK RUBICON DANA 44 GEARS ONLY

⁵ ALL JEEP JK DANA 44 RING GEARS ARE THICK AND REQUIRE A 3.73 & DOWN CARRIER. THE RD117, RD147 & RD157 ARE ALL 3.73 & DOWN CARRIERS AND ARE SUITABLE FOR THE JK DANA 44 HOUSING AND RING & PINION GEAR SETS.

ARB AIR LOCKER DIFFERENTIAL COVERS

| DIFFERENTIAL | DESCRIPTION | PART NO. |
|--------------|--|-------------------------|
| DANA 30 | DANA 30 ARB DIFFERENTIAL COVER - RED | 0750002 ^{1,2} |
| DANA 30 | DANA 30 ARB DIFFERENTIAL COVER - BLACK | 0750002B ^{1,2} |
| DANA 44 | DANA 44 ARB DIFFERENTIAL COVER - RED | 0750003 ^{1,2} |
| DANA 44 | DANA 44 ARB DIFFERENTIAL COVER - BLACK | 0750003B ^{1,2} |

¹ INTERNAL DIFF COVER MODIFICATIONS MAY BE NECESSARY WITH SOME R&P RATIOS IF CONTACT WITH COVER OCCURS

² STEERING LINKAGE CONTACT WILL OCCUR WITH FACTORY HEIGHT SUSPENSION UNDER FULL DROOP. 2" + SUSPENSION LIFT REQUIRED.

OUTBACK SOLUTIONS ROLLER DRAWER SYSTEM

| YEAR | DESCRIPTION | PART NO. |
|---------|---|------------------------|
| 2007-10 | DOUBLE ROLLER DRAWER KIT (X2 RD745 ROLLER DRAWERS, SIDE FLOOR KIT & INSTALLATION KIT) | 5011010 ^{1,2} |
| 2007-14 | SINGLE ROLLER DRAWER WITH ROLLER FLOOR (SLIDE OUT TOP) FOR VEHICLES EQUIPPED WITH PLASTIC TRIM AND INTEGRATED SUBWOOFER | 5012010 ³ |
| | SINGLE ROLLER DRAWER WITH ROLLER FLOOR (SLIDE OUT TOP) FOR VEHICLES EQUIPPED WITH CARPET TRIM, NO INTEGRATED SUBWOOFER | 5012020 ⁴ |

¹ SUB WOOFER RELOCATION KIT (**JKBRKT1**) REQUIRED WHEN 2007-09 VEHICLES ARE EQUIPPED WITH FACTORY SUB WOOFERS. INCLUDES BRACKET ONLY, HARNESS EXTENSION MAY BE REQUIRED (NOT OFFERED BY ARB).

² ROLLER DRAWER KIT WILL NOT WORK ON 2010 MODELS WITH FACTORY INTEGRATED SUB WOOFERS.

³ DOES NOT FIT VEHICLES WITH CARPET TRIM

⁴ DOES NOT FIT VEHICLE WITH PLASTIC TRIM AND INTEGRATED SUBWOOFER

FOR MORE INFORMATION ON DRAWERS SYSTEMS

[HTTP://WWW.ARBUSA.COM/News/New-Product-Advice.aspx](http://www.arbusa.com/News/New-Product-Advice.aspx)

SAFARI SNORKEL

| YEAR | RECOMMENDED SNORKEL | PART NO. |
|---------|--------------------------------------|----------|
| 2007-11 | 3.8L V6 GAS ENGINE (LEFT HAND DRIVE) | SS1066HF |
| 2012-18 | 3.6L PENTASTAR V6 (LEFT HAND DRIVE) | SS1070HF |