

4RUNNER

ARB DELUXE BULL BARS & WINCH BARS					
YEAR	MODEL	FEATURES	WINCHES	PART NO.	
2014-21	SUMMIT BAR INTEGRIT FINISH	SRS APPROVED, INDICATORS, RECESSED FOG LAMPS, LED INDICATORS, HI-LIFT JACK POINTS	M8000, XD9000, XP9.5, XDC9.5, ZEON 8 ^{4,6} , 10 ^{4,6} , ZEON PLATINUM 10 ⁶ , VR EVO 8, 10	3421570K ^{3,4,5,6,7,8,9}	
2010-13	WINCH BAR	AIRBAG APPROVED, INDICATORS, RECESSED FOG LAMPS ² , SATIN BLACK FINISH	9.5XP, HS9500, XD9000	3421520 ⁷	
2006-09	WINCH BAR INTEGRIT FINISH	AIRBAG APPROVED, INDICATORS, RECESSED FOG LAMPS ² , INTEGRIT BLACK FINISH	9.5XP, HS9500, XD9000,	3421540	
2003-05	WINCH BAR	AIRBAG APPROVED, INDICATORS, RECESSED FOG LAMPS ² , INTEGRIT BLACK FINISH	9.5XP, HS9500, XD9000,	3421530	
1986-95	WINCH BAR	RECESSED INDICATORS, TOW POINTS, BLACK	XD9000, M8000	3414070 ¹	

¹ FITMENT OF BAR TO 4RUNNER MODELS MAY REQUIRE MODIFICATIONS - CONTACT ARB FOR DETAILS.
² OPTIONAL ARB FOG LAMP KIT PART NO. 6821201 (HALOGEN) OR 3500890 (LED) AVAILABLE. 3500440 (SUITS HALOGEN) OR 3500520 (SUITS LED) LOOM REQUIRED WHEN FITTING OPTIONAL FOG LAMP KIT.
³ 3421570K COMPATIBLE WITH OE FOG LIGHTS AND TOYOTA SAFETY SENSE.
⁴ OPTIONAL HAWSE FAIRLEAD SPACER KIT PART NO 3500600 REQUIRED WHEN FITTING A HAWSE FAIRLEAD
⁵ OPTIONAL ROLLER FAIRLEAD COVER 3500850 AVAILABLE
⁶ WARN PART NO W89965 REQUIRED WHEN FITTING WARN ZEON AND ZEON PLATINUM WINCH
⁷ DESIGNED FOR SR5, TRAIL AND TRD MODELS. **WILL NOT FIT LIMITED AND NIGHTSHADE MODELS.**
⁸ WARN PART W94288 MAY BE REQUIRED WHEN FITTING WARN ZEON PLATINUM WINCH.
⁹ WARN PART W106928 WIRE EXTENSION REQUIRED WHEN FITTING WARN VR EVO.

SAFARI SNORKEL		
YEAR	RECOMMENDED SNORKEL	PART NO.
2010-21	SAFARI ARMAX SNORKEL - 4RUNNER 5TH GENERATION - ALL ENGINES	SS450HP
2003-09	SAFARI SNORKEL - 4RUNNER 4TH GENERATION - 4.7L V8	SS440HF
2003-09	SAFARI SNORKEL - 4RUNNER 4TH GENERATION - 4.0L V6	SS445HF
1989-94	3.0L, V6 SNORKEL - NEEDS MODIFICATIONS	SS130HF
1984-88	2.0L/2.2L SNORKEL - NEEDS MODIFICATIONS	SS65HF

UNDER VEHICLE SKID PLATES		
YEAR	DESCRIPTION	PART NO.
2010-21	TOYOTA 4RUNNER WITH KINETIC (KDSS) SYSTEM	5421110
2010-21	TOYOTA 4RUNNER WITHOUT KINETIC (KDSS) SYSTEM	5421100

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES						
YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
2003-21	FRONT	8" DIA. RG, IFS, 53MM BEARING ID	33 (1.31")	30	3.91 & UP	RD111 ³
		8" DIA. RG, IFS, 53MM BEARING ID	33 (1.31")	30	3.73 & DN	RD121 ³
TO 2002	FRONT	8" DIA. RG. 10 BOLT, LIVE AXLE	33 (1.31")	30	ALL	RD132
		7.5 DIA. RG 10 BOLT, IFS	28 (1.1")	27	ALL	RD90
1984-88	REAR	4 CYLINDER, 45MM CARRIER BEARING	33 (1.31")	30	ALL	RD132 ¹
1988-09	REAR	V6, 4WD, 50MM CARRIER BEARING	33 (1.31")	30	ALL	RD132 ²
		V6,2WD, 45MM CARRIER BEARING	33 (1.31")	30	ALL	RD132 ^{1,2}
2010-21	REAR	8.25" DIA RG, 12-BOLT (SHIMMED)	33 (1.31")	30	ALL	RD193 ²

¹ LATE MODEL 50.00MM (1.969") ID BEARINGS MUST BE USED WITH THIS SPECIFIC APPLICATION. (ARB PART No. 160116)
² SUITS OPEN DIFFERENTIAL CARRIERS ONLY. WILL NOT WORK WITH FACTORY LOCKER OPTIONED 3RD MEMBERS
³ FACTORY R&P MAY USE EITHER RD111 OR RD121 DEPENDING ON RATIO. FOR AFTERMARKET R&P, CONSULT YOUR GEAR SUPPLIER TO ASSURE PROPER FITMENT.

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2010-21	COMPLETE KITS	MEDIUM LOAD BP-51 KIT - NON KDSS	KIT	3"	1	OME4RNR10MKBP51
		HEAVY LOAD BP-51 KIT - NON KDSS	KIT	3"	1	OME4RNR10HKBP51
		MEDIUM LOAD BP-51 KIT - WITH KDSS	KIT	3"	1	OME4RNR10MKBP51KD
		HEAVY LOAD BP-51 KIT - WITH KDSS	KIT	3"	1	OME4RNR10HKBP51KD
		MEDIUM LOAD BP-51 KIT - NON KDSS - WITH UPPER CONTROL ARMS	KIT	3"	1	4RBP51MP
		HEAVY LOAD BP-51 KIT - NON KDSS - WITH UPPER CONTROL ARMS	KIT	3"	1	4RBP51HP
		MEDIUM LOAD BP-51 KIT - WITH KDSS - WITH UPPER CONTROL ARMS	KIT	3"	1	4RBP51MKP
		HEAVY LOAD BP-51 KIT - WITH KDSS - WITH UPPER CONTROL ARMS	KIT	3"	1	4RBP51HKP

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
2010-21	FRONT	LIGHT LOAD - STOCK WEIGHT - NO BAR OR WINCH	SPRING	3"	1	2884 ⁴	
		NITROCHARGER SPORT	STRUT		2	90010 ⁵	
		MEDIUM LOAD - WITH BAR OR WINCH ONLY (70-180LBS)	SPRING	3"	1	2885 ⁴	
		NITROCHARGER SPORT	STRUT		2	90010 ⁵	
		HEAVY LOAD - WITH BAR AND WINCH (230LBS+)	SPRING	3"	1	2887 ⁴	
		NITROCHARGER SPORT	STRUT		2	90010 ⁵	
	OPTIONAL		FRONT TRIM SPACER 5MM				OME95PF5 ¹
	REAR	MEDIUM LOAD	SPRING	3"	1	2889	
		NITROCHARGER SPORT	SHOCK		2	60080 ⁶	
		HEAVY LOAD (440LBS CONSTANT LOAD)	SPRING	3"	1	2898	
		NITROCHARGER SPORT	SHOCK		2	*60081/60080 ⁶	
		HEAVY LOAD (880LBS CONSTANT LOAD)	SPRING	3"	1	2899	
		NITROCHARGER SPORT	SHOCK		2	60081 ³	
			UPPER CONTROL ARMS		1	UCA0004	
OPTIONAL		OPTIONAL REAR SPORT SHOCK GUARD				OME661	
OPTIONAL BP-51 INTERNAL BYPASS	VEHICLES WITHOUT KDSS SYSTEM	BP-51 COIL OVER - FRONT RHS	COIL OVER	3"	1	BP5190002R ¹	
		BP-51 COIL OVER - FRONT - LHS	COIL OVER	3"	1	BP5190002L ¹	
		BP-51 SHOCK - REAR	SHOCK		2	BP5160025 ²	
		VEHICLE MOUNT KIT FRONT	MOUNT KIT		1	VM80010028 ¹	
		VEHICLE MOUNT KIT REAR	MOUNT KIT		1	VM80010010 ²	
	VEHICLES WITH KDSS SYSTEM	BP-51 COIL OVER - FRONT - RHS	COIL OVER	3"	1	BP5190002R ³	
		BP-51 COIL OVER - FRONT - LHS	COIL OVER	3"	1	BP5190004L ³	
		BP-51 SHOCK - REAR	SHOCK		2	BP5160025 ²	
		VEHICLE MOUNT KIT FRONT	MOUNT KIT		1	VM80010009 ³	
		VEHICLE MOUNT KIT REAR	MOUNT KIT		1	VM80010010 ²	

¹ VEHICLE MOUNT KIT PART NUMBER **VM80010028** REQUIRED WHEN FITTING BP-51 PART NUMBER **BP5190002R** AND **BP5190002L**

² VEHICLE MOUNT KIT PART NUMBER **VM80010010** REQUIRED WHEN FITTING BP-51 PART NUMBER **BP5160025**

³ VEHICLE MOUNT KIT PART NUMBER **VM80010009** REQUIRED WHEN FITTING BP-51 PART NUMBER **BP519002R** AND **BP5190004L**

⁴ VEHICLES WITH KDSS MUST HAVE 1 x OME95PF5 SPACER INSTALLED ON THE DRIVER'S SIDE TO MAINTAIN CORRECT TRIM.

⁵ NO TOP MOUNT BUSHING SUPPLIED, USE OME3133. OE BUSHINGS MAY BE REUSED IF IN GOOD CONDITION.

⁶ OME661 LOWER SHOCK MOUNT STONE GUARD IS RECOMMENDED FOR REAR SHOCKS TO PROTECT AGAINST STONE CHIP DAMAGE.

* FIRMER VALVED SHOCK

4RUNNER

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
2003-09 MODELS	FRONT	LIGHT LOAD - STOCK WEIGHT - NO BAR OR WINCH	SPRING	1.0"	1	2884 ¹	
		NITROCHARGER SPORT	STRUT		2	*90000 / 90021	
		NITROCHARGER	STRUT		2	N140S	
		MEDIUM LOAD - WITH BAR OR WINCH ONLY (70-180LBS)	SPRING	2.0"	1	2885 ¹	
		NITROCHARGER SPORT	STRUT		2	90000	
		NITROCHARGER	STRUT		2	N140S	
		HEAVY LOAD - WITH BAR AND WINCH (230LBS+)	SPRING	2.5"	1	2886 ¹	
		NITROCHARGER SPORT	STRUT		2	90000	
		NITROCHARGER	STRUT		2	N140S	
	REAR	MEDIUM LOAD	SPRING	2.0"	1	2895	
		NITROCHARGER SPORT	SHOCK		2	60004	
		HEAVY LOAD (330LBS TO GVW)	SPRING	2.0"	1	2896	
		NITROCHARGER SPORT	SHOCK		2	*60005/60004	
		HEAVY CONSTANT LOAD (660LBS TO GVW)	SPRING	2.0"	1	2897	
		NITROCHARGER SPORT	SHOCK		2	60005	
	OPTIONAL	FRONT TRIM SPACER 5MM					OME95PF5
		UPPER CONTROL ARM				1	UCA0004

¹ IMPORTANT: OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUT AND COIL SEATS.

* FIRMER VALVE SHOCK

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.	
1996-02 MODELS	FRONT	STOCK/LIGHT LOAD (0-110LBS)	SPRING	1.25"	1	2880	
		NITROCHARGER SPORT	SHOCK		2	90004	
		HEAVY LOAD (110-240LBS)	SPRING	1.25"	1	2881	
		NITROCHARGER SPORT	SHOCK		2	90004	
	REAR	MEDIUM LOAD	SPRING	2.0"	1	2906	
		NITROCHARGER SPORT - SOFT VALVING	SHOCK		2	60073	
		NITROCHARGER SPORT - FIRM VALVING	SHOCK		2	60028	
		HEAVY LOAD (330LBS TO GVW)	SPRING	2.0"	1	2890	
		NITROCHARGER SPORT	SHOCK		2	60027	
		HEAVY CONSTANT LOAD (660LBS TO GVW)	SPRING	2.0"	1	2891	
		NITROCHARGER SPORT	SHOCK		2	60027	
		OPTIONAL	FRONT TRIM PACKER 5MM				
	REAR TRIM PACKER 5MM						OME80PF05
	REAR TRIM PACKER 10MM						OME80PF10

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
-------	----------	-------------	------	------	----------	----------

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
IFS REAR LEAF SPRING PRE 1990 & IFS REAR COILS SPRING 1990-95	FRONT	STOCK/LIGHT LOAD	TORSION	N/A	1	303003 ¹
		NITROCHARGER SPORT	SHOCK		2	60072
IFS REAR COIL SPRING MODELS 1990-95	REAR	MEDIUM LOAD (0LBS TO GVW)	SPRING	1.5"	1	2900
		NITROCHARGER SPORT	SHOCK		2	60073
		HEAVY LOAD (330LBS CONSTANT LOAD)	SPRING	1.5"	1	2901
		NITROCHARGER SPORT	SHOCK		2	60073
IFS REAR LEAF SPRING MODELS PRE 1990	REAR	MEDIUM LOAD (0LBS TO GVW)	SPRING	2.0"	2	CS009R ³
		NITROCHARGER SPORT	SHOCK		2	*60062/60065
		HEAVY CONSTANT (440LBS TO GVW)	SPRING	2.25"	2	CS010R ³
		NITROCHARGER SPORT	SHOCK		2	60065
REQ'D FOR INSTALLATION (LEAF SPRING- MODELS ONLY)		REAR LEAF SPRING BUSHING KIT			2	OMESB6
		U BOLTS			4	OMEU53 ²
		STEERING DAMPER			1	OMESD33
		BUSHING SLEEVE			2	181469
OPTIONAL		GREASABLE SHACKLE KIT			1	OMEGS3
		REAR EXTRA LEAF				D5XL

¹ ADJUST FRONT TORSION BAR FOR ADDITIONAL HEIGHT AFTER INSTALLING REAR SPRINGS. SET RIDE HEIGHT TO 1/3 UPPER BUMP STOP CLEARANCE AND 2/3 LOWER BUMP STOP CLEARANCE.

² INSTALL OE CASTER WEDGES FROM OE SPRING PACK ONTO OME SPRINGS. ENSURE WEDGES ARE FITTED AS PER ORIGINAL POSITION.

³ COMPARE ORIGINAL SPRING PACK HEIGHT TO OME SPRING PACK TO DETERMINE WHETHER OMEU53 OR OMEU53B U BOLTS ARE REQUIRED.

⁴ EXTRA LEAF CAN BE FITTED FOR HEAVIER CONSTANT LOAD CARRYING ABILITY.

* FIRMER VALVED SHOCK

OLD MAN EMU SUSPENSION SYSTEMS

MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
ALL LEAF SPRINGS 1984-85	FRONT	STOCK/LIGHT LOAD (0-110LBS)	SPRING	2.0"	2	CS008FA/B
		NITROCHARGER SPORT	SHOCK	2.0"	2	60061
		HEAVY LOAD (110-240LBS)	SPRING	2.0"	2	CS009FA/B
		NITROCHARGER SPORT	SHOCK	2.0"	2	60061
	REAR	MEDIUM LOAD (0LBS TO GVW)	SPRING	2.0"	2	CS009R ⁷
		NITROCHARGER SPORT - POST '84	SHOCK	2.0"	2	*60065/60062
		NITROCHARGER SPORT - PRE '84	SHOCK	2.0"	2	*60064/60032
		HEAVY CONSTANT (550LBS TO GVW)	SPRING	2.25"	2	CS010R ⁷
	NITROCHARGER SPORT - POST '84	SHOCK	2.25"	2	60065	
	NITROCHARGER SPORT - PRE '84	SHOCK	2.25"	2	60064	

¹ A/A SPRING FITMENT MAY BE NEEDED ON SOME VEHICLES FOR TRIMMING PURPOSES.

² CAN BE USED ON FRONT APPLICATION ONLY

³ SHOCK SELECTION 60064/60032 FOR MEDIUM AND 60064 FOR HEAVY APPLICATIONS APPLIES TO VEHICLES UP TO 1984 DUE TO A 16MM EYE AND SHORTER OPEN AND CLOSED LENGTHS. POST 1984 VEHICLES WITH 19MM EYE USE 60065/60062 FOR MEDIUM APPLICATIONS AND 60065 FOR HEAVY APPLICATIONS.

⁴ OMEU52 IS REQUIRED WHEN FITTING CS009FA/B OR CS008FA/B SPRINGS BECAUSE ORIGINAL U BOLT WILL FOUL DRAG LINK ON FULL DROOP. REFER TO OME FITTING MANUAL.

⁵ PICK UP MODELS MAY REQUIRE AN FK03 (SADDLE CORRECTION PLATES) IF THE SPRING SEATS ARE DISTORTED. FK10 MUST BE FITTED TO ALL MODELS USED CONTINUALLY OFF ROAD. REFER TO OME FITTING MANUAL.

⁶ EXTRA LEAF CAN BE FITTED FOR HEAVIER CONSTANT LOAD CARRYING ABILITY.

⁷ A TRIM SPACER MAY BE REQUIRED TO TRIM VEHICLE. ONLY TO BE USED ON REAR SPRINGS. IMPORTANT: INSTALL LEAF SPRINGS WITH MILITARY WRAP AT THE FIXED END.

4RUNNER

OLD MAN EMU SUSPENSION SYSTEMS								
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.		
ALL LEAF SPRINGS 1984-85	REQ'D FOR INSTALLATION	FRONT LEAF SPRING BUSHING KIT			2	OMESB5		
		REAR LEAF SPRING BUSHING KIT			2	OMESB6		
		FRONT U-BOLTS			1	OMEU52 ⁴		
		REAR U-BOLTS			4	OMEU53		
		BUSHING SLEEVE			2	181469		
	OPTIONAL	STEERING DAMPER				1	OMESD21	
		FRONT GREASEABLE SHACKLE KIT				1	OMEGS4	
		REAR GREASEABLE SHACKLE KIT				1	OMEGS3	
		GREASEABLE PIN KIT				1	OMEGP3 ²	
		REAR ANTI INVERSION KIT (PRE '84)				1	FK09 ⁵	
		REAR ANTI INVERSION KIT (POST '84)				1	FK13 ⁵	
		FRONT FITTING KIT				1	FK03/FK10 ⁵	
		FRONT EXTRA LEAF					D17XL ⁶	
		REAR EXTRA LEAF					D5XL ⁶	
REAR TRIM SPACER					TP04 ⁷			

¹ A/A SPRING FITMENT MAY BE NEEDED ON SOME VEHICLES FOR TRIMMING PURPOSES.

² CAN BE USED ON FRONT APPLICATION ONLY

³ SHOCK SELECTION 60064/60032 FOR MEDIUM AND 60064 FOR HEAVY APPLICATIONS APPLIES TO VEHICLES UP TO 1984 DUE TO A 16MM EYE AND SHORTER OPEN AND CLOSED LENGTHS. POST 1984 VEHICLES WITH 19MM EYE USE 60065/60062 FOR MEDIUM APPLICATIONS AND 60065 FOR HEAVY APPLICATIONS.

⁴ OMEU52 IS REQUIRED WHEN FITTING CS009FA/B OR CS008FA/B SPRINGS BECAUSE ORIGINAL U BOLT WILL FOUL DRAG LINK ON FULL DROOP. REFER TO OME FITTING MANUAL.

⁵ PICK UP MODELS MAY REQUIRE AN FK03 (SADDLE CORRECTION PLATES) IF THE SPRING SEATS ARE DISTORTED. FK10 MUST BE FITTED TO ALL MODELS USED CONTINUALLY OFF ROAD. REFER TO OME FITTING MANUAL.

⁶ EXTRA LEAF CAN BE FITTED FOR HEAVIER CONSTANT LOAD CARRYING ABILITY.

⁷ A TRIM SPACER MAY BE REQUIRED TO TRIM VEHICLE. ONLY TO BE USED ON REAR SPRINGS. IMPORTANT: INSTALL LEAF SPRINGS WITH MILITARY WRAP AT THE FIXED END.

* FIRMER VALVED SHOCKS

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
2003-09	CLASSIC ARB BASKET, TOURING AND FLAT RACKS	
	70" X 44" STEEL RACK WITH MESH FLOOR - KIT	3813010MK4
	70" X 44" STEEL RACK WITHOUT MESH FLOOR - KIT	3813010K4
	70" X 44" ALLOY RACK WITH MESH FLOOR - KIT	4913010MK4
	70" X 44" ALLOY FLAT RACK - KIT	4913020MK4
	70" X 44" STEEL FLAT RACK - KIT	3813030K4
	70" X 49" TOURING RACK - KIT	3813200K
2010-21	CLASSIC ARB BASKET AND FLAT RACKS	
	70" X 44" ALLOY RACK WITH MESH FLOOR - KIT	4913010MK5
	70" X 44" STEEL RACK WITH MESH FLOOR - KIT	3813010MK5
	70" X 44" STEEL RACK WITHOUT MESH FLOOR - KIT	3813010K5
	70" X 44" ALLOY FLAT RACK WITH MESH - KIT	4913020MK5
70" X 44" STEEL FLAT RACK - KIT	3813030K5	
2010-21	ARB BASE RACK SYSTEM	
	61" X 51" BASE RACK KIT - FLAT RACK WITH DEFLECTOR	BASE231
	61" X 51" BASE RACK KIT - FRONT 1/4 BASKET WITH DEFLECTOR	BASE232
	61" X 51" BASE RACK KIT - FRONT 3/4 BASKET WITH DEFLECTOR	BASE233
	61" X 51" BASE RACK KIT - FULL BASKET WITH DEFLECTOR	BASE234
	61" X 51" BASE RACK KIT - TRADE RAILS WITH DEFLECTOR	BASE235

ARB ROOF RACKS		
YEAR	DESCRIPTION	PART NO.
ARB BASE RACK SYSTEM - ACCESSORIES AND MOUNTS		
	BASE RACK TIE DOWN - EYEBOLT - COMES WITH FOUR TIE DOWNS	1780200
	BASE RACK TIE DOWN - SPRING LOADED - COMES WITH TWO TIE DOWNS	1780210
	BASE RACK T-SLOT ADAPTOR - SOLD AS A SINGLE ADAPTOR	1780220
	BASE RACK T-SLOT ADAPTER - SOLD AS A PAIR	1780230
	BASE RACK AWNING BRACKET - FIXED - SOLD AS A SINGLE BRACKET	1780240
	BASE RACK PROPANE BOTTLE HOLDER - 5 TO 20LB TANK	1780250
	BASE RACK AWNING BRACKET - QUICK RELEASE - SOLD AS A SINGLE BRACKET	1780260
	BASE RACK HI-LIFT JACK MOUNT - PREMIUM MOUNT KIT	1780280
	BASE RACK HI-LIFT JACK MOUNT - STANDARD MOUNT KIT	1780290
	BASE RACK RECOVERY BOARD ADAPTOR - REQUIRES RECOVERY BOARD MOUNT	1780310
	JERRY CAN MOUNT - VERTICAL - SINGLE METAL CAN - DOES NOT INCLUDE JERRY CAN	1780320
	JERRY CAN MOUNT - HORIZONTAL - SINGLE METAL CAN - DOES NOT INCLUDE JERRY CAN	1780330
	JERRY CAN MOUNT - VERTICAL - DOUBLE METAL CAN - DOES NOT INCLUDE JERRY CANS	1780340
	JERRY CAN MOUNT - HORIZONTAL - DOUBLE METAL CAN - DOES NOT INCLUDE JERRY CANS	1780350
	BASE RACK ROLLER KIT - FITS 51" WIDE RACKS	1780365
	BASE RACK RATCHET STRAP - 118" STRAP - SOLD AS A PAIR	1780370
	BASE RACK WHEEL MOUNT STRAP - FITS UP TO 35" TIRE	1780380
ARB SLIMLINE LIGHT BAR - MOUNTS TO ARB BASE RACK		
	ARB SLIMLINE BASE RACK LIGHT BAR KIT - INCLUDES BASE RACK BRACKETS	1780500 ¹
	ARB SLIMLINE LIGHT BAR LENS COVER - CLEAR	1780510
	ARB SLIMLINE LIGHT BAR LENS COVER - BLACK	1780511
	ARB SLIMLINE LIGHT BAR LENS COVER - AMBER	1780512
	ARB SLIMLINE LIGHT BAR HARNESS	3500810 ¹
	ARB SLIMLINE LIGHT BAR HARNESS EXTENSION	3500820 ¹

¹ HARNESS PART NUMBER **3500810** REQUIRED FITTING **1780500** SLIMLINE LIGHT BAR. EXTENSION HARNESS **3500820** MAY ALSO BE REQUIRED DEPENDING ON APPLICATION