

TACOMA (4X4 MODELS)

ARB DELUXE BULL BARS & WINCH BARS				
YEAR	MODEL	FEATURES	WINCHES	PART NO.
1995-04	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS	9.5XP, HS9500, XD9000, M8000	3423040 ^{6,10}
1995-04	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS, URETHANE BUFFERS, TOW POINTS	9.5XP, HS9500, XD9000, M8000	3423020 ^{6,11}
2005-11	WINCH BAR	AIRBAG APPROVED, RECESSED INDICATORS ² , URETHANE BUFFERS	9.5XP, HS9500, XD9000, M8000	3423030 ^{2,6,11}
2005-11	WINCH BAR	AIRBAG APPROVED, OPTIONAL ARB FOG LIGHTS ¹ , RECESSED INDICATORS ² , URETHANE BUFFERS	9.5XP, HS9500, XD9000, M8000	3423130 ^{2,6,11}
2012-15	WINCH BAR	AIRBAG APPROVED, OPTIONAL ARB FOG LIGHTS ¹ , RECESSED INDICATORS ² , URETHANE BUFFERS	9.5XP, HS9500, XD9000, M8000	3423140 ^{2,6,11}
2016-19	SUMMIT BAR	AIRBAG APPROVED, ARB FOG LIGHTS ^{3,4,13} , RECESSED LED INDICATORS, URETHANE BUFFERS, JACK POINTS	M8000, XD9000, XP9.5, XDC9.5, ZEON 8-10, ZEON PLAT 10, EVO 8-10	3423160K ^{5,6,7,8,9,10,13}
2020-22	SUMMIT BAR	AIRBAG APPROVED, TSS COMPATIBLE, ARB FOG LIGHTS ^{3,4,13} , RECESSED LED INDICATORS, URETHANE BUFFERS, JACK POINTS	M8000, XD9000, XP9.5, XDC9.5, ZEON 8-10, ZEON PLAT 10, EVO 8-10	3423160K2 ^{5,6,7,8,9,10,12,13}

¹ OPTIONAL ARB FOG LAMP KIT PART NO. 6821201 (HALOGEN) OR 3500890 (LED) AVAILABLE. 3500440 (SUITS HALOGEN) OR 3500520 (SUITS LED) LOOM REQUIRED WHEN FITTING OPTIONAL FOG LAMP KIT.

² SOME VEHICLES MAY NEED 1156 LED BULBS INSTALLED IN ARB BUMPER IN ORDER FOR TURN SIGNALS TO WORK PROPERLY

³ OPTIONAL FOG LIGHT COVER KIT 3500680 AVAILABLE

⁴ ARB FOG LIGHTS AND LOOM ARE INCLUDED WITH BUMPER PART NUMBER 3423160K AND 3423160K2. OPTIONAL LED FOG LIGHT AND LOOM ALSO AVAILABLE 3500910 (LIGHT KIT) AND HARNESS 3500520.

⁵ INCLUDES, TACOMA SUMMIT WINCH BUMPER, BUMPER FITTING KIT, WINCH INSTALL KIT, ARB FOG LIGHT KIT AND ARB FOG LIGHT LOOM

⁶ OPTIONAL HAWSE FAIRLEAD SPACER KIT PART NUMBER 3500600 REQUIRED WHEN FITTING A HAWSE FAIRLEAD.

⁷ NOT COMPATIBLE WITH TRD PRO MODELS

⁸ WARN PART NO W89965 REQUIRED WHEN FITTING WARN ZEON AND ZEON PLATINUM WINCH

⁹ WARN PART NO W94288 ENHANCED SIGNAL KIT MAY BE NEEDED WHEN FITTING WARN ZEON PLATINUM WINCH

¹⁰ FINISHED IN INTEGRIT BLACK TEXTURED POWDER COAT

¹¹ FINISHED IN SATIN BLACK POWDER COAT

¹² COMPATIBLE WITH TOYOTA SAFETY SENSE

¹³ WARN PART W106928 WIRE EXTENSION REQUIRED WHEN FITTING WARN VR EVO.

ARB RECOVERY POINT		
YEAR	DESCRIPTION	PART NO.
2005-22	ARB RECOVERY POINT - RHS - 17,5000 LB RATING	2823010

UNDER VEHICLE PROTECTION KIT		
YEAR	DESCRIPTION	PART NO.
2005-22	UNDER VEHICLE PROTECTION KIT (V6 MODELS ONLY)	5423010

ARB SUMMIT SIDE RAILS AND STEPS		
YEAR	DESCRIPTION	PART NO.
2016-22	SUMMIT PROTECTION STEPS - DOUBLE CAB AND ACCESS CAB - BLACK INTEGRIT FINISH	4423010 ^{1,2}
	SUMMIT FRONT PROTECTION RAILS - PROTECTS FENDERS, ATTACHES TO ARB FRONT SUMMIT BAR	4423020 ^{1,2}
	SUMMIT PROTECTION STEPS RETURN	4423030 ^{1,2}

¹ ORDER PART No 4423010 AND 4423020 FOR STEPS AND SIDE RAILS. ORDER PART No 4423010 AND 4423030 FOR JUST THE STEPS

² FITS V6 MODEL TACOMAS ONLY.

ARB REAR SUMMIT BAR			
YEAR	DESCRIPTION	FEATURES	PART NO.
2016-22	REAR SUMMIT BAR	WORKS WITH FACTORY HITCH, WORKS WITH REAR PARK SENSORS, HI-LIFT JACK POINTS, PRESS FORMED WINGS, ANODIZED EXTRUSION STEP, BLACK INTEGRIT FINISH	3623040 ¹

¹ Not compatible with BLIND SPOT MONITORING.

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
1998-04	COMPLETE KITS	STOCK/LIGHT LOAD (0-110LBS)	KIT	2"	1	OMETAC04LKS ⁹
		HEAVY LOAD (110-220LBS)	KIT	2"	1	OMETAC04HKS ⁹
	FRONT	STOCK/LIGHT LOAD (0-110LBS)	SPRING	2"	1	2880 ¹
		NITROCHARGER SPORT	STRUT		2	90004
		HEAVY LOAD (110-220LBS)	SPRING	2"	1	2881 ¹
		NITROCHARGER SPORT	STRUT		2	90004
	REAR	MEDIUM LOAD	SPRING	2"	1+1	EL122RA/B ²
		NITROCHARGER SPORT	SHOCK			*60065/60062
	REQ'D FOR INSTALLATION	REAR LEAF SPRING BUSHING KIT			2	OMESB121 ³
		U BOLTS			4	OMEU53B
		EXHAUST BRACKET			1	FK21 ⁴
	OPTIONAL	FRONT TRIM SPACER 5MM			1	OME95PF5
		REAR GREASABLE SHACKLE KIT			1	OMEGS12 ³
		EXTRA LEAF			2	D43XL ⁷

¹ OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUTS AND COIL SEATS.

² FOR LIGHT LOAD APPLICATIONS, THE 2ND LEAF FROM THE BOTTOM OF THE SPRING PACK CAN BE REMOVED FOR IMPROVED RIDE COMFORT. EL122RA/B REAR LEAF SPRINGS ONLY FIT POST 1998 XTRA CAB AND DOUBLE CAB MODELS.

³ OMESB121 SUITS BOTH OE AND OME GREASABLE SHACKLES.

⁴ FK21 EXHAUST BRACKET IS A MANDATORY FITMENT TO ENSURE EXHAUST SYSTEM CLEARS SPRINGS.

⁵ KIT CONTAINS STANDARD OLD MAN EMU NITROCHARGER SHOCKS

⁶ KIT CONTAINS OLD MAN EMU NITROCHARGER SPORT SHOCKS

⁷ ADD EXTRA LEAF TO REAR SPRING PACK WHEN CARRYING 220LBS AS A HEAVY CONSTANT LOAD.

^{*} FIRMER SHOCK

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2005-15	COMPLETE KITS	STOCK/LIGHT LOAD (0-110LBS)	KIT	2"	1	ESSENTIALS1 ¹
		STOCK/LIGHT LOAD (0-110LBS)	KIT	2"	1	OMETAC05LKSB ⁵
		HEAVY LOAD (110-220LBS)	KIT	2"	1	OMETAC05HKSB ⁵
		LIGHT LOAD/HEAVY LOAD BP-51 KIT	KIT	2"	1	OMETAC16BP51B ⁷
		LIGHT LOAD BP-51 KIT WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51P ⁷
		HEAVY CONSTANT LOAD BP-51 KIT WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51HP ^{7,8}
		MEDIUM LOAD	KIT	2"	1	OMEKIT-004
		HEAVY LOAD	KIT	2"	1	OMEKIT-005
	FRONT	STOCK/LIGHT LOAD (0-110LBS)	SPRING	2"	1	2885 ⁴
		NITROCHARGER SPORT	STRUT		2	90021
		HEAVY LOAD (110-220LBS)	SPRING	2"	1	2886 ⁴
		NITROCHARGER SPORT	STRUT		2	90000
	REAR	MEDIUM LOAD (0LBS TO GVW)	SPRING	2"	2	EL111R
		NITROCHARGER SPORT	SHOCK		2	60091
HEAVY CONSTANT 660LB LOAD		SPRING	2"	2	EL112R	
NITROCHARGER SPORT		SHOCK		2	60091	
REQUIRED	FITTING KIT			1	FK29 ³	
	U BOLTS			4	OMEU53B	
	REAR SPRING BUSHING KIT			2	OMESB108	
OPTIONAL	UPPER CONTROL ARMS			1	UCA0005	
	EXTRA LEAF			2	SEE NOTE ^{2,8}	
	TRIM PACKER ⁵				OME95PF5 ⁶	

¹ KIT DOES NOT INCLUDE LEAF SPRINGS. KIT INCLUDES REAR SPACER BLOCKS.

² TO INCREASE LOAD, USE PART NUMBER D29XL FOR "CS" SPRINGS AND EL46XL FOR "EL" SPRINGS.

³ DRIVESHAFT PACKER KIT IS DESIGNED TO SPACE DOWN CARRIER BEARING TO REDUCE TAIL SHAFT FLANGE ANGLE, THEREBY REDUCING DRIVELINE VIBRATION.

⁴ OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUTS AND COIL SEATS.

⁵ KIT CONTAINS STANDARD OLD MAN EMU NITROCHARGER SPORT SHOCKS AND STRUTS

⁶ TRIM PACKER PART No. OME95PF5 IS DESIGNED TO TRIM VEHICLE FROM DRIVER TO PASSENGER SIDE. NOT TO BE USED FOR ADDITIONAL LIFT.

⁷ KIT CONTAINS OME ADJUSTABLE INTERNAL BYPASS BP-51 COILOVERS AND SHOCKS

⁸ UCB17 x2 AND SLO0530413 x4 REQUIRED WHEN FITTING D29XL EXTRA LEAF

⁹ KIT CONTAINS EL112R HEAVY LOAD REAR LEAF SPRINGS.

TACOMA (4X4 MODELS)

OLD MAN EMU SUSPENSION SYSTEMS						
MODEL	LOCATION	DESCRIPTION	TYPE	LIFT	QUANTITY	PART NO.
2016-22	COMPLETE KITS	STOCK/LIGHT (NO BUMPER, NO WINCH)	KIT	2"	1	ESSENTIALS1 ¹¹
		STOCK/LIGHT (NO BUMPER, NO WINCH)	KIT	2"	1	OMETAC16LKSB ⁷
		MEDIUM LOAD (BUMPER OR WINCH)	KIT	2"	1	OMETAC16MKS ⁷
		HEAVY LOAD (ARB BUMPER & WINCH)	KIT	2"	1	OMETAC16HKS ⁷
		LIGHT LOAD/HEAVY LOAD BP-51 KIT	KIT	2"	1	OMETAC16BP51B ⁹
		LIGHT LOAD BP-51 KIT WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51P ⁸
		HEAVY CONSTANT LOAD BP-51 KIT WITH UPPER CONTROL ARMS	KIT	2"	1	TACBP51HP ^{8,12}
		MEDIUM LOAD	KIT	2"	1	OMEKIT-004
	HEAVY LOAD	KIT	2"	1	OMEKIT-005	
FRONT		STOCK/LIGHT LOAD (NO ARB BUMPER)	SPRING	2"	1	2887 ¹
		NITROCHARGER SPORT	STRUT		2	90021 ^{5,6}
		MEDIUM LOAD (WITH ARB BUMPER)	SPRING	2"	1	2888 ¹
		NITROCHARGER SPORT	STRUT		2	*90000 / 90021 ^{5,6}
		HEAVY LOAD (WITH ARB BUMPER & WINCH)	SPRING	2"	1	2886 ¹
		NITROCHARGER SPORT	STRUT		2	90000 ^{5,6}
REAR		MEDIUM LOAD	SPRING	2"	2	EL111R
		NITROCHARGER SPORT	SHOCK		2	60091
		HEAVY CONSTANT 660LB LOAD	SPRING	2"	2	EL112R
		NITROCHARGER SPORT	SHOCK		2	60091
REQ'D FOR INSTALLATION		FITTING KIT			1	FK29 ²
		U BOLTS			4	OMEU53B
		REAR SPRING BUSH KIT			2	OMESB108
OPTIONAL		UPPER CONTROL ARMS			1	UCA0005
		EXTRA LEAF			2	SEE NOTE ^{4,10}
		LEAF SPRING CENTER BOLT			2	UCB17 ⁴
		TRIM PACKER 5MM				OME95PF5 ⁹
		UPPER STRUT BUSHINGS			1	OME3133 ⁵
		STRUT TOP HAT KIT			1	OMETH002 ⁵

- ¹ OME FRONT COILS CAN ONLY BE INSTALLED WITH OME NITROCHARGER STRUTS AND COIL SEATS.
- ² DRIVESHAFT PACKER KIT IS DESIGNED TO SPACE DOWN CARRIER BEARING TO REDUCE TAIL SHAFT FLANGE ANGLE, THEREBY REDUCING DRIVELINE VIBRATION.
- ³ FOR REAR MEDIUM LOAD SPRING REMOVAL OF 3RD LEAF IS REQUIRED
- ⁴ UCB17 x2 AND SLO0530413 x4 REQUIRED WHEN FITTING EL46XL OR D29XL EXTRA LEAF
- ⁵ NO TOP MOUNTING BUSHINGS ARE SUPPLIED, USE OME3133. OE BUSHINGS MAY BE RE-USED IF IN GOOD CONDITION.
- ⁶ STRUT TOP HAT KIT MAY BE REQUIRED IF ORIGINAL EQUIPMENT IS WORN.
- ⁷ KIT IS SUPPLIED WITH OME NITROCHARGER SPORT STRUTS AND SHOCKS
- ⁸ KIT IS SUPPLIED WITH OME BP-51 ADJUSTABLE INTERNAL BYPASS SHOCKS AND COILOVERS
- ⁹ TRIM PACKER PART No. OME95PF5 IS DESIGNED TO TRIM VEHICLE FROM DRIVER TO PASSENGER SIDE. NOT TO BE USED FOR ADDITIONAL LIFT.
- ¹⁰ TO INCREASE LOAD, USE PART NUMBER D29XL FOR "CS" SPRINGS AND EL46XL FOR "EL" SPRINGS.
- ¹¹ KIT DOES NOT INCLUDE LEAF SPRINGS. KIT INCLUDES REAR SPACER BLOCKS.
- ¹² KIT CONTAINS EL112R HEAVY LOAD REAR LEAF SPRINGS.
- * FIRMER VALVING

OPTIONAL OME BP-51 COILOVER & SHOCK ABSORBERS							
MODEL	LOCATION	DESCRIPTION	LIFT	QUANTITY	PART NO.		
2005-22	FRONT	OME BP-51 INTERNAL BYPASS COILOVER - FRONT RIGHT	2"	1	BP5190006R ^{1,2}		
		OME BP-51 INTERNAL BYPASS COILOVER - FRONT LEFT	2"	1	BP5190006L ^{1,2}		
	REAR	OME BP-51 INTERNAL BYPASS SHOCK - REAR RIGHT		1	BP5160011R ³		
		OME BP-51 INTERNAL BYPASS SHOCK - REAR LEFT		1	BP5160011L ³		
	VEHICLE MOUNT KITS	VEHICLE MOUNT KIT - FRONT - REQUIRED FOR BP-51 FITMENT			1	VM80010016 ²	
		VEHICLE MOUNT KIT - REAR - REQUIRED FOR BP-51 FITMENT			1	VM80010017 ³	

- ¹ OME BP-51 COILOVERS COME PRE LOADED WITH OME COIL SPRINGS.
- ² VEHICLE MOUNT KIT REQUIRED WHEN FITTING OME BP-51 COILOVER PART NO BP5190006R & BP5190006L
- ³ VEHICLE MOUNT KIT REQUIRED WHEN FITTING OME BP-51 SHOCK PART NO BP5160011R & BP5160011L

SAFARI SNORKEL

YEAR	RECOMMENDED SNORKEL	PART NO.
1995-04	TOYOTA TACOMA V6 SNORKEL	SS170HF
2005-15	TOYOTA TACOMA V6 SNORKEL	SS171HP
2016-22	TOYOTA TACOMA V6 SNORKEL	SS172HP

REFER TO WWW.SAFARI4X4.COM.AU FOR DETAILS.

ARB AIR LOCKER LOCKING DIFFERENTIALS & ACCESSORIES

YEAR	AXLE	DESCRIPTION	SHAFT	SPLINE	RATIO	PART NO.
1996-04	FRONT	7.5" DIA. RG, 10 BOLT, IFS	28 (1.1")	27	ALL	RD90
2005-22	FRONT	8" DIA. RG, IFS, 53MM BEARING ID	33 (1.31")	30	3.91 & UP	RD111 ²
		8" DIA. RG, IFS, 53MM BEARING ID	33 (1.31")	30	3.73 & DN	RD121 ²
1996-15	REAR	8.4" DIA. RG, 12 BOLT	33 (1.31")	30	ALL	RD129 ¹
2016-22	REAR	8.0" DIA. RG, ALL AUTOS EXCLUDING OE LOCKER EQUIPPED	33 (1.31")	30	ALL	RD132
		8.9" DIA. RG, ALL MANUALS & ALL OE LOCKER EQUIPPED	34.8 (1.37")	32	ALL	RD232

¹ LOCKER SUITS OPEN DIFFERENTIALS ONLY, AND WILL NOT REPLACE THE FACTORY E-LOCKER UNLESS THE HOUSING AND 3RD MEMBER ARE REPLACED WITH OPEN END DIFFS.

² FACTORY R&P MAY USE EITHER RD111 OR RD121 DEPENDING ON RATIO. FOR AFTERMARKET R&P, CONSULT YOUR GEAR SUPPLIER TO ASSURE PROPER FITMENT.

ARB COMPRESSOR BRACKET

YEAR	DESCRIPTION	PART NO.
2016-19	COMPRESSOR BRACKET - MOUNTS IN LEFT SIDE BED CUBBY COMPARTMENT	3523010

¹ ACCEPTS ARB CKMTA12, CKMA12 AND CKSA12 AIR COMPRESSORS SYSTEMS.

² KIT NOT SUPPLIED WITH EXTENDED COMPRESSOR HARNESS. CUSTOM EXTENDED HARNESS REQUIRED.

³ OPTIONAL SWITCH EXTENSION HARNESS PART NUMBER 180427 IS AVAILABLE. ONLY EXTENDS SWITCH, DOES NOT EXTEND POWER.

ARB OUTBACK SOLUTIONS ROLLER DRAWERS

YEAR	DESCRIPTION	PART NO.
2016-22	SIDE FLOOR KIT TO SUIT 1355 DRAWERS - 5FT BED MODELS ONLY	TACODRAWKIT ¹
	ROLLER DRAWER - 19.9" X 53.3" X 12.2" - (FIXED TOP)	RD1355 ¹
	ROLLER DRAWER WITH ROLLER FLOOR - 19.9" X 53.3" X 12.2" - (TOP ALSO SLIDES OUT)	RDRF1355 ¹
	ROLLER FLOOR LOW HEIGHT DRAWER - 19.9" X 53.3" X 5.5" (TOP ALSO SLIDES OUT)	RF1355 ¹

¹ SIDE FLOOR KIT AND X2 SERIES 1355 DRAWERS REQUIRED FOR PROPER FITMENT

ARB ROOF RACK

YEAR	DESCRIPTION	PART NO.
2005-22	ARB STEEL NON MESH ROOF RACK - 52"X 44" - DOUBLE CAB MODELS ONLY	3800250
	ARB STEEL TRADE ROOF RACK - 52"X 44" - DOUBLE CAB MODELS ONLY	3800253
	ARB STEEL FLAT ROOF RACK - 53"X 49" - DOUBLE CAB MODELS ONLY	3800180 ¹
REQ.	ARB ROOF RACK FITTING KIT - REQUIRED WHEN FITTING PART NO 3800250, 3800253 AND 3800180 RACKS	3723010

¹ IF VEHICLE IS EQUIPPED WITH SHARK FIN ANTENNA, PLEASE CONTACT ARB TECH FOR FITMENT INFO - 425-264-1391